



www.amaregroup.com

INDEX

PORTHOLES

- YACHT DIVISION
 - NEW GENERATION
 - INFINITY
- SUPER YACHT DIVISION & COMMERCIAL BOAT
 - CLASSIC SERIES

GANGWAYS AND LADDERS

- VANITY LINE
- KELLY LINE

VISION SLIDING WINDOWS

SAFETY DOOR

- FIREPROOF DOOR
- WATERTIGHT DOOR
- GASTIGHT DOOR

HINGES

TAILOR MADE

GLASS & SERVICES

BONUS TRACK






PORTHOLES YACHT DIVISION



NEW GENERATION LINE AM-NG-010




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light Ø 250 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented FRICTION HINGE	External polished frame	MCA
Silicone pump sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
No welding	Extra clear glass	

• available
 / not available



NEW GENERATION LINE AM-NG-011




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light Ø 150 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented FRICTION HINGE	External polished frame	MCA
Silicone pump sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
No welding	Extra clear glass	

• available
 / not available



NEW GENERATION LINE AM-NG-012




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light Ø 295 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented FRICTION HINGE	External polished frame	MCA
Silicone pump sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
No welding	Extra clear glass	

• available
 / not available



NEW GENERATION LINE AM-NG-013




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light Ø 197 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented FRICTION HINGE	External polished frame	MCA
Silicone pump sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
No welding	Extra clear glass	

• available
 / not available



NEW GENERATION LINE AM-LG-010




DESCRIPTION	OPTIONAL		CERTIFICATION	
Net light D.250 mm	Mosquito net	o	CE	o
Stainless steel AISI 316L	Opening sensor	o	Pleasure under 24 Mt.	/
Silicone pump sealant	Deadlight - shutter	/	Pleasure over 24 Mt.	/
Passivation anti-corrosion process	External polished frame	o	MCA	/
	External painted frame	o		
	Bolts	o		
	Extra clear glass	o		

o available
/ not available



NEW GENERATION LINE AM-LG-013




DESCRIPTION	OPTIONAL		CERTIFICATION	
Net light D.200 mm	Mosquito net	o	CE	o
Stainless steel AISI 316L	Opening sensor	o	Pleasure under 24 Mt.	/
Silicone pump sealant	Deadlight - shutter	/	Pleasure over 24 Mt.	/
Passivation anti-corrosion process	External polished frame	o	MCA	/
	External painted frame	o		
	Bolts	o		
	Extra clear glass	o		

o available
/ not available

NEW GENERATION LINE

AM-NG-010F




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light FIXED D.250 mm	Mosquito net /	CE ☐
Stainless steel AISI 316L	Opening sensor /	Pleasure under 24 Mt. /
Silicone pump sealant	Deadlight - shutter /	Pleasure over 24 Mt. /
Passivation anti-corrosion process	External polished frame ☐	MCA ☐
	External painted frame ☐	
	Bolts ☐	
	Extra clear glass ☐	

☐ available
☐ not available

NEW GENERATION LINE

AM-NG-010P




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light Ø 250 mm	Mosquito net ☐	CE ☐
Stainless steel AISI 316L	Opening sensor ☐	Pleasure under 24 Mt. ☐
Patented CLOSURE	Deadlight - shutter ☐	Pleasure over 24 Mt. ☐
Patented FRICTION HINGE	External polished frame ☐	MCA ☐
Silicone pump sealant	External painted frame ☐	
Passivation anti-corrosion process	Bolts ☐	
No welding	Extra clear glass ☐	

☐ available
☐ not available



NEW GENERATION LINE AM-NG-015_SC




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light $\varnothing$ 302 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Knob CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented FRICTION HINGE	External polished frame	MCA
Silicone pump sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
No welding	Extra clear glass	

o available
x not available



NEW GENERATION LINE AM-NG-012K




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light $\varnothing$ 300 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented FRICTION HINGE	External polished frame	MCA
Silicone pump sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
No welding	Extra clear glass	

o available
x not available



NEW GENERATION LINE AM-NG-020




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 190 x 450 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt. /
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt. /
Patented FRICTION HINGE	External polished frame	MCA
Silicone pump sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
No welding	Extra clear glass	

o available
/ not available



NEW GENERATION LINE AM-NG-025




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 164 x 414 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt. /
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt. /
Patented FRICTION HINGE	External polished frame	MCA
Silicone pump sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
No welding	Extra clear glass	

o available
/ not available



NEW GENERATION LINE

AM-NG-047




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 220x120 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt. /
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt. /
Patented FRICTION HINGE	External polished frame	MCA
Silicone pump sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
	Extra clear glass	

☒ available
☐ not available



NEW GENERATION LINE

AM-NG-050A




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 376 x 158 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt. /
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt. /
Patented FRICTION HINGE	External polished frame	MCA
Silicone pump sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
Dark grey Glass	Extra clear glass	

☒ available
☐ not available



NEW GENERATION LINE AM-NG-051




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 500 x 250 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented FRICTION HINGE	External polished frame	MCA
Silicone pump sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
Dark grey Glass	Extra clear glass	

☒ available
☐ not available



NEW GENERATION LINE AM-NG-051CU




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 504X248 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Knob CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented FRICTION HINGE	External polished frame	MCA
Silicone pump sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
	Extra clear glass	

☒ available
☐ not available



NEW GENERATION LINE AM-NG-021




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 460X146 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt. /
Knob closure	Deadlight - shutter	Pleasure over 24 Mt. /
Patented FRICTION HINGE	External polished frame	MCA
Silicone pump sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
	Extra clear glass	

☒ available
☐ not available



NEW GENERATION LINE AM-NG-023




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 538 x 238 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt. /
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt. /
Patented FRICTION HINGE	External polished frame	MCA
Silicone pump sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
Dark grey Glass	Extra clear glass	

☒ available
☐ not available

NEW GENERATION LINE

AM-NG-024




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 606 x 300 mm	Mosquito net ☐	CE ☐
Stainless steel AISI 316L	Opening sensor ☐	Pleasure under 24 Mt. ☐
Patented CLOSURE	Deadlight - shutter ☐	Pleasure over 24 Mt. ☐
Patented FRICION HINGE	External polished frame ☐	MCA ☐
Silicone pump sealant	External painted frame ☐	
Passivation anti-corrosion process	Bolts ☐	
Dark grey Glass	Extra clear glass ☐	

☐ available
☐ not available

NEW GENERATION LINE

AM-NG-023




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 1850x717 mm	Mosquito net ☐	CE ☐
Stainless steel AISI 316L	Opening sensor ☐	Pleasure under 24 Mt. ☐
Patented CLOSURE	Deadlight - shutter ☐	Pleasure over 24 Mt. ☐
Patented FRICION HINGE	External polished frame ☐	MCA ☐
Silicone pump sealant	External painted frame ☐	
Passivation anti-corrosion process	Bolts ☐	
No welding	Extra clear glass ☐	

☐ available
☐ not available

NEW GENERATION LINE

AM-NG-046




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 415X185 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented FRICTION HINGE	External polished frame	MCA
Silicone pump sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
No welding	Extra clear glass	

☒ available
☐ not available

NEW GENERATION LINE

AM-NG-047




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 494X244 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented FRICTION HINGE	External polished frame	MCA
Silicone pump sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
	Extra clear glass	

☒ available
☐ not available



NEW GENERATION LINE AM-NG-049




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 494X294 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented FRICTION HINGE	External polished frame	MCA
Silicone pump sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
	Extra clear glass	

☒ available
☐ not available



NEW GENERATION LINE AM-NG-045_SC




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 600X300 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented FRICTION HINGE	External polished frame	MCA
Silicone pump sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
	Extra clear glass	

☒ available
☐ not available



NEW GENERATION LINE AM-NG-070G




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 400X206 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt. /
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt. /
Patented FRICTION HINGE	External polished frame	MCA
Silicone pump sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
No welding	Extra clear glass	

☒ available
☐ not available



NEW GENERATION LINE AM-NG-030




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 199x353 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt. /
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt. /
Patented FRICTION HINGE	External polished frame	MCA
Silicone pump sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
No welding	Extra clear glass	

☒ available
☐ not available



NEW GENERATION LINE AM-NG-040




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 300x300 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt. /
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt. /
Patented FRICTION HINGE	External polished frame	MCA
Silicone pump sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
No welding	Extra clear glass	

o available
x not available



NEW GENERATION LINE AM-NG-048



DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 530x730 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt. o
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt. o
Patented FRICTION HINGE	External polished frame	MCA o
Silicone pump sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
	Extra clear glass	


o available
x not available



INFINITY PORTHOLE GLUED ON GLASS



INFINITY AM-FV-011




AVAILABLE ON CURVED GLASS

DESCRIPTION	OPTIONAL	CERTIFICATION
Net light Ø 150 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented FRICTION HINGE	Extra clear glass	MCA
Silicone pump sealant		
Passivation anti-corrosion process		
No welding		

o available
/ not available



INFINITY AM-FV-013




AVAILABLE ON CURVED GLASS

DESCRIPTION	OPTIONAL	o /	CERTIFICATION	o /
Net light Ø 200 mm	Mosquito net	o	CE	o
Stainless steel AISI 316L	Opening sensor	o	Pleasure under 24 Mt.	o
Patented CLOSURE	Deadlight - shutter	/	Pleasure over 24 Mt.	o
Patented FRICTION HINGE	External polished frame	/	MCA	/
Silicone pump sealant	External painted frame	/		
Passivation anti-corrosion process	Bolts	/		
SIKA glueing process	PMMA glass	o		

o available
/ not available



INFINITY AM-FV-010




AVAILABLE ON CURVED GLASS

DESCRIPTION	OPTIONAL	o /	CERTIFICATION	o /
Net light Ø 250 mm	Mosquito net	o	CE	o
Stainless steel AISI 316L	Opening sensor	o	Pleasure under 24 Mt.	o
Patented CLOSURE	Deadlight - shutter	/	Pleasure over 24 Mt.	o
Patented FRICTION HINGE	External polished frame	/	MCA	/
Silicone pump sealant	External painted frame	/		
Passivation anti-corrosion process	Bolts	/		
SIKA glueing process	Extra clear glass	o		

o available
/ not available



INFINITY AM-FV-012



AVAILABLE ON CURVED GLASS


DESCRIPTION	OPTIONAL	o /	CERTIFICATION	o /
Net light Ø 300 mm	Mosquito net	o	CE	o
Stainless steel AISI 316L	Opening sensor	o	Pleasure under 24 Mt.	o
Patented CLOSURE	Deadlight - shutter	/	Pleasure over 24 Mt.	o
Patented FRICTION HINGE	External polished frame	/	MCA	/
Silicone pump sealant	External painted frame	/		
Passivation anti-corrosion process	Bolts	/		
SIKA glueing process	PMMA glass	o		

o available
/ not available

PORTHOLES SUPER YACHT DIVISION

CLASSIC SERIES

AM-O-010




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light d.300 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented SEMI-AUTOMATIC HINGE	External polished frame	MCA
EPDM sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
Extra clear glass	Fumè dark gray glass	

☒ available
☐ not available

CLASSIC SERIES

AM-O-011




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light d.300 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented SEMI-AUTOMATIC HINGE	External polished frame	MCA
EPDM sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
Extra clear glass	Fumè dark gray glass	

☒ available
☐ not available

CLASSIC SERIES

AM-O-012




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light d.400 mm	Mosquito net	CE
Stainless steel AISI 31 6L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented SEMI-AUTOMATIC HINGE	External polished frame	MCA
EPDM sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
Extra clear glass	Fumè dark gray glass	

☒ available
☐ not available

CLASSIC SERIES

AM-O-013




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light d.437 mm	Mosquito net	CE
Stainless steel AISI 31 6L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented SEMI-AUTOMATIC HINGE	External polished frame	MCA
EPDM sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
Extra clear glass	Fumè dark gray glass	

☒ available
☐ not available

CLASSIC SERIES

AM-O-015




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light d.350 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented SEMI-AUTOMATIC HINGE	External polished frame	MCA
EPDM sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
Extra clear glass	Fumè dark gray glass	

☒ available
☐ not available

CLASSIC SERIES

AM-O-020




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 300X600 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented SEMI-AUTOMATIC HINGE	External polished frame	MCA
EPDM sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
Extra clear glass	Fumè dark gray glass	

☒ available
☐ not available



CLASSIC SERIES AM-O-022




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 400X800 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented SEMI-AUTOMATIC HINGE	External polished frame	MCA
EPDM sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
Extra clear glass	Fumè dark gray glass	

o available
/ not available



CLASSIC SERIES AM-O-023




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 1100X800 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented SEMI-AUTOMATIC HINGE	External polished frame	MCA
EPDM sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
Extra clear glass	Fumè dark gray glass	

o available
/ not available

CLASSIC SERIES

AM-O-024




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 1100X800 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented SEMI-AUTOMATIC HINGE	External polished frame	MCA
EPDM sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
Extra clear glass	Fumè dark gray glass	

☒ available
☐ not available

CLASSIC SERIES

AM-O-025




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 506X256 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented SEMI-AUTOMATIC HINGE	External polished frame	MCA
EPDM sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
Extra clear glass	Fumè dark gray glass	

☒ available
☐ not available



CLASSIC SERIES AM-O-026




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 606x306 mm	Mosquito net	CE
Stainless steel AISI 31 6L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented SEMI-AUTOMATIC HINGE	External polished frame	MCA
EPDM sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
Extra clear glass	Fumè dark gray glass	

☒ available
☐ not available



CLASSIC SERIES AM-O-031




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 584x383 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented SEMI-AUTOMATIC HINGE	External polished frame	MCA
EPDM sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
Extra clear glass	Fumè dark gray glass	

☒ available
☐ not available



CLASSIC SERIES AM-O-032




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 640x340 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented SEMI-AUTOMATIC HINGE	External polished frame	MCA
EPDM sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
Extra clear glass	Fumè dark gray glass	

☒ available
☐ not available



CLASSIC SERIES AM-O-030




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 1000x635 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented SEMI-AUTOMATIC HINGE	External polished frame	MCA
EPDM sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
Extra clear glass	Fumè dark gray glass	

☒ available
☐ not available



CLASSIC SERIES AM-O-033




DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 800x400 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented SEMI-AUTOMATIC HINGE	External polished frame	MCA
EPDM sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
Extra clear glass	Fumè dark gray glass	

☒ available
☐ not available



CLASSIC SERIES AM-O-040



DESCRIPTION	OPTIONAL	CERTIFICATION
Net light 400x400 mm	Mosquito net	CE
Stainless steel AISI 316L	Opening sensor	Pleasure under 24 Mt.
Patented CLOSURE	Deadlight - shutter	Pleasure over 24 Mt.
Patented SEMI-AUTOMATIC HINGE	External polished frame	MCA
EPDM sealant	External painted frame	
Passivation anti-corrosion process	Bolts	
Extra clear glass	Fumè dark gray glass	


☒ available
☐ not available



GANGWAYS AND LADDERS

GANGWAY - VANITY



AM-G-022



CUSTOM DIMENSION ON REQUEST

DESCRIPTION	OPTIONAL	o /	CERTIFICATION	o /
BOX 4380x570x(h) 180 mm	Custom painting	o	Certification class	o
Stainless steel AISI 316L	Fixing box Bolts	o		
Waterproof box	Automatic handles	o		
Polished mirror stainless steel	NAVAL hydraulic unit	o		
Full Teak	Customer logo	o		
Passivation anti-corrosion process	Luxury remote control	o		
Panel control				
Remote control				
Lights				
Courtesy backlit glass anti-slip				
Manual handles				
CE hydraulic unit				

o available
/ not available



GANGWAY - KELLY


AM-G30-3800



CUSTOM DIMENSION ON REQUEST

DESCRIPTION	OPTIONAL	o /	CERTIFICATION	o /
BOX 2595x560x(h)200 mm	Custom painting	o	Certification class	o
Stainless steel AISI 316L	Fixing box Bolts	o		
Waterproof box	Automatic handles	o		
Polished mirror stainless steel	NAVAL hydraulic unit	o		
Full Teak	Customer logo	o		
Passivation anti-corrosion process	Luxury remote control	o		
Panel control				
Remote control				
Lights				
Courtesy backlpt glass anti-slip				
Manual handles				
CE hydraulic unit				

o available
/ not available



GANGWAY - KELLY


AM-G30-4100



CUSTOM DIMENSION ON REQUEST

DESCRIPTION	OPTIONAL	o /	CERTIFICATION	o /
BOX 2595x560x(h)200 mm	Custom painting	o	Certification class	o
Stainless steel AISI 316L	Fixing box Bolts	o		
Waterproof box	Automatic handles	o		
Polished mirror stainless steel	NAVAL hydraulic unit	o		
Full Teak	Customer logo	o		
Passivation anti-corrosion process	Luxury remote control	o		
Panel control				
Remote control				
Lights				
Courtesy backlit glass anti-slip				
Manual handles				
CE hydraulic unit				

o available
/ not available



GANGWAY - KELLY


AM-G30-4450



CUSTOM DIMENSION ON REQUEST


DESCRIPTION	OPTIONAL	o /	CERTIFICATION	o /
BOX 2595x560x(h)200 mm	Custom painting	o	Certification class	o
Stainless steel AISI 316L	Fixing box Bolts	o		
Waterproof box	Automatic handles	o		
Polished mirror stainless steel	NAVAL hydraulic unit	o		
Full Teak	Customer logo	o		
Passivation anti-corrosion process	Luxury remote control	o		
Panel control				
Remote control				
Lights				
Courtesy backlpt glass anti-slip				
Manual handles				
CE hydraulic unit				

o available
/ not available



LADDERS

AM-FB-010




DESCRIPTION	OPTIONAL	o /	CERTIFICATION	o /
BOX 1160x484x(h) 120 mm	Custom painted	o	CE	o
Stainless steel AISI 316L	Bolts	o		
Waterproof box				
Polished mirror				
Teak steps				
Passivation anti-corrosion process				
Manual opening				

o available
/ not available

LADDERS

AM-FB-020



DESCRIPTION	OPTIONAL	o /	CERTIFICATION	o /
BOX 475x364x(h) 52 mm	Custom painted	o	CE	o
Stainless steel AISI 316L	Bolts	o		
Waterproof box				
Polished mirror				
Teak steps				
Passivation anti-corrosion process				
Manual opening				

o available
/ not available



VISION - HULL SLIDING WINDOW




SAFETY DOOR



SAFETY DOOR

AM-PSF-060F



FIREPROOF


DESCRIPTION	OPTIONAL	o /	CERTIFICATION	o /
Net light 1653x620 mm	Bolts	o	CE	o
Stainless steel AISI 316L	Opening sensor	o	Pleasure under 24 Mt.	o
Silicone waterproof sealant	Automatic closing	o	Pleasure over 24 Mt.	o
Fireproof sealant	Laser printed logo	o	MCA	o
Acoustic insulation	Custom handle	o	A15	o
Fire insulation			A30	o
Custom painted				

o available
/ not available



SAFETY DOOR

AM-PSF-060W



WATERPROOF

DESCRIPTION	OPTIONAL	o /	CERTIFICATION	o /
Net light 1653x620 mm	Bolts	o	CE	o
Stainless steel AISI 316L	Opening sensor	o	Pleasure under 24 Mt.	o
Silicone waterproof sealant	Automatic closing	o	Pleasure over 24 Mt.	o
Fireproof sealant	Laser printed logo	o	MCA	o
Acoustic insulation	Custom handle	o	A15	o
Fire insulation			A30	o
Custom painted				

o available
/ not available




HINGES




HINGES

AM-O-022



HINGES

AM-O-051



DESCRIPTION


Passivation anti-corrosion process

Stainless steel AISI 316L




HINGES

AM-C-052



HINGES

AM-O-051



DESCRIPTION

Passivation anti-corrosion process


Stainless steel AISI 316L



TAILOR MADE



STEEL WALK OVER



CUSTOM TABLES



SPECIAL HATCHES



GLASS & SERVICES

**Follow from automotive division
for windshield and side windows
Amare Group provides glazing from
exclusively partners.**

**Quality and certified processes
that ensure chemical and thermal toughening
made in ITALY.**

**Design, high engineering, structural calculations
glazed relifes and template.
Hydrostatic test.**

bonus track
























Navetta 37


CUSTOM LINE





#amaregroup



MODENA: Via Galletto, 11 Recovato 41013 Castelfranco Emilia – ITALY Phone: +39 059 7105500 Fax: +39 059 937360
ISERNIA: Via dell' Industria, I Trav. – 86077, Pozzilli – ITALY Phone: +39 0865 253537 Fax: +39 0865 253523
www.amaregroup.it