

[Home](#)
[Quick](#)
[Advanced](#)
[Pat Num](#)
[Help](#)
[Next List](#)
[Bottom](#)
[View Cart](#)

Hits 1 through 50 out of 363

AN/"Hutchinson" AND AC/Paris

Title

- 1 [10,723,846](#) **T** [Process for preparing an electrode composition or composition with magnetic properties, mixture and composition obtained by means of said process and said electrode](#)
- 2 [10,717,328](#) **T** [System including pressurized load cells](#)
- 3 [10,629,388](#) **T** [Gelled aqueous polymer composition, pyrolysed carbonated composition produced therefrom for a supercapacitor electrode, and methods for the production thereof](#)
- 4 [10,625,302](#) **T** [Dynamic imbalanced force generator and an actuator comprising such a generator](#)
- 5 [10,584,765](#) **T** [Dynamic force generator comprising at least two unbalanced masses and actuator comprising said generators](#)
- 6 [10,564,008](#) **T** [Inductive displacement sensors](#)
- 7 [10,564,007](#) **T** [Inductive movement sensors](#)
- 8 [10,557,727](#) **T** [Inductive displacement sensors](#)
- 9 [10,550,238](#) **T** [Monolithic, super heat-insulating, organic aerogel composition preparation method, said composition, and the use thereof](#)
- 10 [10,527,208](#) **T** [Composite seal for rapid fluid-transfer coupling, and coupling of this type](#)
- 11 [10,526,505](#) **T** [Composition for an organic gel and the pyrolysate thereof, production method thereof, electrode formed by the pyrolysate and supercapacitor containing same](#)
- 12 [10,508,436](#) **T** [Thermally insulating composition for organic monolithic gel, use thereof and process for preparing same](#)
- 13 [10,480,580](#) **T** [Bearing comprising an angular movement sensor](#)
- 14 [10,438,752](#) **T** [Conductive electrodes and their manufacturing process](#)
- 15 [10,427,511](#) **T** [Run seal for vehicle window and sealing module incorporating means for guiding the window in the seal and an element of the door frame](#)
- 16 [10,427,482](#) **T** [Linking arm, for example for a vehicle wheel suspension, and method for manufacturing same](#)
- 17 [10,414,119](#) **T** [Composite panel with thermosetting cellular matrix, manufacturing method, and structure for covering a wall formed from an assembly of panels](#)
- 18 [10,363,536](#) **T** [Gelled composition for an organic monolithic gel, uses thereof and process for preparing same](#)

- 19 [10,361,606](#) [Hydraulic anti-vibration device provided with an electricity generator device and electricity generator device for such an anti-vibration device](#)
- 20 [10,309,570](#) [Connection device, pipes incorporating same for fluid transmission piping of an aircraft or a spacecraft, and method for manufacturing said device](#)
- 21 [10,294,165](#) [Flexible composite aerogel and process for producing same](#)
- 22 [10,267,380](#) [Power transmission belt](#)
- 23 [10,260,593](#) [Hydraulic antivibrating device](#)
- 24 [10,260,592](#) [Hydraulic antivibrating device](#)
- 25 [10,230,094](#) [Cathode for a cell of a lithium-ion battery, its manufacturing process and the battery incorporating it](#)
- 26 [10,181,778](#) [Active vibratory control device](#)
- 27 [10,086,675](#) [Electric or hybrid motor vehicle bodywork structure, this vehicle, and method for controlling/modifying the temperature of the passenger compartment thereof](#)
- 28 [10,079,118](#) [Electrode for an electric-energy storage system with collector including a protective conductive layer and corresponding manufacturing method](#)
- 29 [10,071,749](#) [External runflat apparatus](#)
- 30 [10,066,727](#) [Uncoupling pulley with offset clutch](#)
- 31 [10,054,200](#) [Assembly comprising a fixed support, pulleys, a belt and a belt tensioner](#)
- 32 [9,982,737](#) [Device for rotary wing aircraft capable of providing information relative to the level of fatigue-related damage of said device](#)
- 33 [9,937,747](#) [Elastomeric fastener system for wheel devices](#)
- 34 [9,931,819](#) [Vacuum insulation panel comprising an organic aerogel](#)
- 35 [9,905,332](#) [Transparent conductive electrode and associated production method](#)
- 36 [9,902,493](#) [VTOL aerodyne with supporting axial blower\(s\)](#)
- 37 [9,902,116](#) [Composite connecting rod, method for manufacturing such a rod and aeronautic ceiling or floor structure incorporating same](#)
- 38 [9,840,207](#) [Profile section molded by multi-injection molding and forming a seal or a molding for the body of a motor vehicle, and method for manufacturing same](#)
- 39 [9,796,256](#) [Controllable hydraulic vibration-damping supports](#)
- 40 [9,709,124](#) [Instrumented damper and performance monitoring system comprising such a damper](#)
- 41 [9,694,907](#) [Lift-generating device having axial fan\(s\), and heavier-than-air aircraft fitted with such a device](#)
- 42 [9,676,941](#) [Rubber composition based on a silicone elastomer and on a PCM, process for the preparation thereof, flexible element and thermal control/regulating system incorporating same](#)
- 43 [9,666,855](#) [Anode for a cell of a lithium-ion battery, its manufacturing process and the battery incorporating it](#)
- 44 [9,663,163](#) [Road wheel](#)
- 45 [9,616,717](#) [Bead lock with wheel flange protection](#)
- 46 [9,610,465](#) [Fire suppression module, modular system including same, and method of installing modular system](#)
- 47 [9,605,115](#) [Process for preparing a reinforced and reactive thermoplastic composition, and this composition](#)
- 48 [9,593,732](#) [Anti-vibration device](#)
- 49 [9,570,243](#) [Carbonaceous composition for supercapacitor cell electrode, electrode, process for the manufacture thereof and cell incorporating same](#)
- 50 [9,568,070](#) [Power transmission belt with thermoplastic film containing a silicone elastomer](#)

[Next List](#)[Top](#)[View Cart](#)

[Home](#)

[Quick](#)

[Advanced](#)

[Pat Num](#)

[Help](#)