

PRODUCT CATALOG 2020



Pressure Sensitive Tapes,  
Adhesives, Foams, Films,  
Fabrics and more!



**Bron Tapes**  
875 W. Ellsworth Ave  
Denver, CO 80223  
**1-888-877-2766** (BRON)  
service@brontapes.com  
brontapes.com



## Table of Contents

About Bron Tapes .....	5
Our Manufacturing Partners .....	6
Converting Services .....	7
<b>CARTON SEALING TAPE</b>	
BT-416 Utility Grade Carton Sealing Tape.....	8
BT-416A Utility Grade Carton Seal – Cold Weather .....	8
BT-420 Packaging Grade Carton Sealing Tape.....	8
BT-420A Packaging Grade Carton Sealing Tape – Cold Weather .....	8
BT-430 Heavy Duty Carton Sealing Tape.....	9
BT-435 Premium Carton Sealing Tape.....	9
BT-586 Handheld Tape Dispenser 2” .....	9
BT-587 Handheld Tape Dispenser 3” .....	9
<b>CLOTH TAPE</b>	
BT-279 AV Cord Tape .....	10
BT-279S AV Cord Tape.....	10
BT-260 Professional Grade Gaffer’s Tape.....	10
BT-698 Premium Grade Gaffer’s Tape .....	10
BT-198 Utility Grade Duct Tape 7 mil .....	12
BT-257 Industrial Grade Duct Tape 9 mil.....	12
BT-284 Construction Grade Duct Tape 9 mil .....	12
BT-286 Professional Grade Duct Tape 10 mil .....	12
BT-287 Multi-Purpose Duct Tape 9 mil .....	13
BT-4736 Clean Green™ Premium Outdoor Duct Tape .....	13
BT-6110 Safety / Hazard Cloth Striped Tape.....	13
<b>DOUBLE COATED TAPE</b>	
BT-100DX Differential Double Coated Carpet Tape .....	15
BT-105 General Purpose Double Coated Carpet Tape .....	15
BT-437 Premium Double Coated Carpet Tape .....	15
BT-123 Double Coated Polyester Splicing Tape.....	15
BT-246 Performance Grade Thin Bonding Tape .....	16
BT-480 Premium Double Coated Paper Tape – Golf Grip Tape .....	16
BT-481 General Purpose Double Coated Paper Tape .....	16
BT-678 Double Coated Polyester Film Tape .....	17
BT-1148 MCD Double Coated Tape .....	17
BT-3579 ATG Tape 2 mil.....	17
BT-3595 ATG Tape 5 mil.....	17
BT-3854 Killer Red® World’s Greatest Double Coated Tape .....	18
BT-3869 Premium Banner/Trophy Tape .....	18
BT-7670 Double Coated Tissue Splicing Tape .....	18
BT-48896 Scrim-Bond™ Tape – 9 Mil Reinforced Scrim Tape.....	19
BT-S94 Contractor Grade Double Coated Cloth Tape.....	19
BT-4000 2-N-One Tape Double Coated Laminated Tape With Differential Adhesive .....	19
<b>FILAMENT / STRAPPING TAPE</b>	
BT-300 Packaging Grade Filament Tape.....	20
BT-644 Paper Filament Tape.....	20
BT-812 Performance Grade Paper Filament Tape .....	20
BT-7925 Performance Grade TPP Tape.....	20

## Table of Contents CONTINUED

<b>FOAM TAPE</b>	
BT-709 Low Density Foam Tape .....	21
BT-7272 Low Density Foam Tape .....	21
BT-2503 Medium Density Foam Tape – Single Sided .....	21
BT-2505 Medium Density Foam Tape – Double Sided.....	22
BT-1095 General Purpose Foam Bonding Tape.....	22
BT-6265 Two Sided Removable Foam Tape .....	22
BT-1960 Glazing Tape .....	22
<b>FOIL TAPE</b>	
BT-7A Performance Grade Copper Foil Tape.....	23
BT-7CA Performance Grade Copper Foil Tape – Conductive .....	23
BT-50A Multi-Purpose Aluminum Foil Tape – Lined .....	23
BT-50R Utility Grade Aluminum Foil Tape – Lined .....	23
BT-50SW Multi-Purpose Aluminum Foil Tape – Self-Wound.....	24
BT-67SW Performance Grade Aluminum Foil Tape – Self-Wound .....	24
BT-2005 Performance Grade Aluminum Foil Tape – Lined .....	24
<b>HIGH BOND TAPE</b>	
BT-120RC High Bond Tape 20 mil.....	25
BT-140RC High Bond Tape 40 mil.....	25
BT-9778 High Bond Tape – 20 mil.....	25
BT-9771 High Bond Tape – 40 mil.....	25
BT-9773 High Bond Tape – 60 mil.....	26
<b>HIGH TEMPERATURE FILM TAPES &amp; FABRICS</b>	
BT-193 PTFE Film Tape 2 mil.....	26
BT-1144 Performance Grade PTFE Film Tape 2 mil .....	26
BT-692 Polyimide Tape 1 mil.....	27
BT-1234 Performance Grade Polyimide Tape 1 mil .....	27
BT-792 Blue Plating Tape 1 mil .....	27
BT-1844 Green Polyester Tape, Non- Silicone 2 mil .....	27
BT-1944 Green Polyester Tape, Non- Silicone 1 mil .....	28
BT-7880 Blue Polyester Film Tape 1 mil.....	28
BT-7881 Green Polyester Film Tape 2 mil.....	28
<b>MASKING TAPE</b>	
BT-54 Construction Grade Blue Masking Tape .....	29
BT-1018 Construction Grade Masking Tape.....	29
BT-190 Utility Grade Blue Masking Tape.....	29
BT-208 Utility Grade Masking Tape .....	29
BT-7971 Performance Grade Finesline Masking Tape.....	30
BT-290 Premium Blue Masking Tape .....	30
BT-408 Premium Masking Tape .....	30
BT-611 Premium High Temperature Masking Tape .....	30
BT-1517 General Purpose Flatback Paper Carton Sealing Tape .....	31
BT-7061 Killer Bee® Premium Outdoor Masking Tape .....	31
BT-708 High Temperature Masking Tape .....	31





## Table of Contents CONTINUED

### POLYETHYLENE TAPE

BT-4010 Industrial Grade Polyethylene Tape.....	33
BT-4010P Industrial Grade Polyethylene Tape – Pinked Edge.....	33
BT-4011 Premium Outdoor Polyethylene Tape.....	33
BT-4011P Premium Outdoor Polyethylene Tape – Pinked Edge.....	33
BT-4014 Utility Grade Polyethylene Tape.....	34
BT-4014P Utility Grade Polyethylene Tape – Pinked Edge.....	34
BT-4016 Premium Grade Polyethylene Tape.....	34
BT-4016P Premium Grade Polyethylene Tape – Pinked Edge.....	34
BT-4028 Construction Grade Polyethylene Tape.....	35
BT-4028P Construction Grade Polyethylene Tape – Pinked Edge.....	35

### PROTECTIVE FILM

BT-305CL Counter Top / Marble Protection Tape.....	36
BT-450CL Multi-Purpose Carpet Protection Film Tape.....	36
BT-1664 Premium Transfer Tape – High Tack.....	36
BT-3273 Multi-Purpose Window Film Tape.....	36
BT-7777 Premium Window Film Tape.....	37
BT-951 High Strength Protective Film Tape.....	37
BT-6779 Multi-Purpose Protective Film Tape.....	37
BT-6780 Multi-Purpose Protective Film Tape.....	37
BT-9411 Crash Wrap Protective Film Tape.....	38
BT-9700 Duct Protection Film Tape.....	38
BT-40025 Performance Grade Protective Film Tape.....	38
BT-67377 Multi-Purpose Black/White Protective Film Tape.....	38

### SPECIALTY TAPE

BT-103 Sandblast Impact Tape.....	39
BT-858 Sandblast Impact Tape.....	39
BT-1804-7 Glass Cloth Tape 7 mil.....	39
BT-1814 Foil Glass Cloth Tape 7 mil.....	40
BT-18946 Double Coated Glass Cloth Tape.....	40
BT-1864 Plasma Spray Tape.....	40
BT-1904 Metalized Polyester Tape 1 mil.....	41
BT-97111 PTFE Coated Fiberglass Tape 3 mil.....	41
BT-97112 PTFE Coated Fiberglass Tape 5 mil.....	41

### VINYL TAPE

BT-48 PVC Electrical Insulating Tape.....	42
BT-786 Pipe Wrap Tape.....	42
BT-795 Safety Stripe – Hazard Vinyl Tape.....	42
BT-3089 Multi-Purpose Vinyl Tape.....	42
Our Locations.....	43


## About Bron Tapes

**Bron Tapes, Bron Aerotech and Bron Converting** comprise the Bron family of companies. Industrial application solutions and products are supplied by Bron Tapes, while the Aerospace market is serviced by Bron Aerotech. Bron Converting provides custom converting solutions to all markets.

Domestically, Bron Tapes operates ten (10) branch locations with Headquarters in Denver, Colorado. Denver has been home to Bron for 42 years. Bron’s 41 outside salesmen are trained as Application Specialists and operate primarily from individual Branch locations or Markets.

**Globally, Bron Tapes supports Customers in more than 50 countries.**

Bron Tapes’ proprietary products are complemented by a wide range of Manufacturer Partner-branded materials. If an off-the-shelf tape does not fully satisfy the requirements of the Customer’s application, Bron teams with Manufacturer Partners to prototype or modify the product to be the best possible solution in terms of Quality, Price and Repeatability. New, custom products often evolve from this creative process, ensuring that the most state-of-art engineering and design available are incorporated into Bron Tapes’ growing arsenal of material solutions.



## Our Manufacturer Partners

Our ability to identify and supply the right product for any application is supported by our close, long-term relationships with key manufacturers.

While our primary materials are Tapes, Adhesives, Films, Foils, Foams & Fabrics, we also supply hundreds of other products that we source and evaluate for our Customers.



We are application-driven. We understand the *functional* requirements of the custom parts we make for you.


Our 42 years' expertise in converting tapes, adhesives, films and fabrics brings extra value to your end-product.

### Our Converting Capabilities:

- Die-Cutting
- Kitting
- Laminating
- Printing
- Sheeting
- Slitting

### Markets We Serve:

- Aerospace
- Arts & Entertainment
- Construction
- Manufacturing
- Packaging
- Specialty



200 Rio Grande Boulevard  
Denver, CO 80223  
303-607-4320  
[service@bronconverting.com](mailto:service@bronconverting.com)

## CARTON SEALING TAPE

### BT-416 | Utility Grade Carton Sealing Tape

**Applications:** Carton Sealing, Dispensing, Edge Tear & Split Resisting, Light Packaging, Light Weight Carton Sealing, Packaging, Sealing, Shipping, Splicing

**Tags:** Carton Sealing, High Adhesion, High Holding Strength, Multi-Purpose

Description: BT-416 is a general purpose packaging tape used for box sealing, splicing and other packaging applications. This is a Biaxially

Oriented Polypropylene (BOPP) film tape coated with a hot melt pressure sensitive adhesive system for high adhesion, and holding power.

Adhesive: Synthetic Rubber

Color: Clear, Tan

Market: Packaging & Shipping

Substrate-Carrier:

Biaxially-Oriented Polypropylene Film (BOPP)

### BT-416A | Utility Grade Carton Seal – Cold Weather

**Applications:** Carton Sealing, Dispensing, Light Packaging, Light Weight Carton Sealing, Packaging

**Tags:** Carton Sealing, Utility Grade

Description: BT-416A is a utility grade biaxially oriented polypropylene carton sealing tape with acrylic adhesive.

Adhesive: Acrylic

Color: Clear, Tan

Market: Packaging & Shipping

Substrate-Carrier:

Biaxially-Oriented Polypropylene Film (BOPP)

### BT-420 | Packaging Grade Carton Sealing Tape

**Applications:** Abating & Restoring, Carton Sealing, Closing, Dispensing, Edge Tear & Split Resisting, Medium Duty Packaging, Packaging, Shipping, Splicing, Temporary Dust & Work Enclosure Mounting

**Tags:** Aggressive Adhesive, Carton Sealing, High Initial Tack

Description: BT-420 is a packaging grade carton sealing tape used for box sealing, splicing, and other packaging applications. BT-420 has a hot

melt pressure sensitive adhesive system with a high-adhesion and holding power.

Adhesive: Synthetic Rubber Solvent

Color: Clear, Tan

Market: Packaging & Shipping

Substrate-Carrier:

Biaxially-Oriented Polypropylene Film (BOPP)

### BT-420A | Packaging Grade Carton Sealing Tape – Cold Weather

**Applications:** Carton Sealing, Dispensing, Light Packaging, Light Weight Carton Sealing, Packaging, Shipping

**Tag:** Carton Sealing

Description: BT-420A is an acrylic packaging grade, biaxially oriented polypropylene carton sealing tape.

Adhesive: Acrylic

Color: Clear, Tan, Black, Blue, Green, Orange,

Red, White, Yellow

Market: Packaging & Shipping

Substrate-Carrier:

Biaxially-Oriented Polypropylene Film (BOPP)



## CARTON SEALING TAPE

### BT-430 | Heavy Duty Carton Sealing Tape

**Applications:** Bundling, Carpet, Padding, Protective Sheet Bundling, Carton Sealing, Chemical Resisting, Dispensing, Edge Tear & Split Resisting, General Repairing, Heavy Duty Carton Sealing, Heavy Packaging, High Temperature Resisting, Humidity Resisting, Medium Duty Packaging, Packaging, Reinforcing, Repairing, Tapping, Tear Resisting

**Tags:** Carton Sealing, Freezer Use, High Adhesion, High-Tensile Strength, Printable

Description: BT-430 is a heavy duty carton sealing tape with a very high tensile strength.

Adhesive: Natural Rubber

Color: Clear

Market: Packaging & Shipping

### BT-435 | Premium Carton Sealing Tape

**Applications:** Agricultural Bagging, Bagging, Binding, Book Repairing, Bookbinding, Bundling, Carpet, Padding, Protective Sheet Bundling, Carton Sealing, Closing, Dispensing, Edge Tear & Split Resisting, General Repairing, Heavy Duty Carton Sealing, Humidity Resisting, Packaging, Palletizing, Reinforcing, Repairing, Shipping, Tear Resisting, Unitizing

**Tags:** All-Season, Carton Sealing, Premium Grade

Description: BT-435 is premium grade pressure sensitive all season carton sealing tape. It is generally used in carton closure of lightweight single carton shipments and unitized palletized shipment of multiple boxes.

Adhesive: Solvent Acrylic

Color: Clear, Tan

Market: Packaging & Shipping

Substrate-Carrier:

Biaxially-Oriented Polypropylene Film (BOPP)

### BT-586 | Handheld Tape Dispenser 2"

**Applications:** Dispensing

**Tag:** Dispenser - Carton Seal Dispenser

Description: BT-586 is a 2" soft handle tape dispenser.

Color: Blue

### BT-587 | Handheld Tape Dispenser 3"

**Applications:** Dispensing

**Tag:** Dispenser - Carton Seal Dispenser

Description: BT-587 is a 3" soft handle tape dispenser.

Color: Blue

**CLOTH TAPE**

**BT-279 | AV Cord Tape**

**Applications:** Abrasion Resisting, Bookbinding, Edge Reinforcing, Place Marking, Releasing, Seaming, Water Resisting

**Tags:** Clean Removal, Cloth Tape, Conformable, Hand Tearable, High Adhesion, High Quality, High-Tensile Strength, Low-Gloss Finish, Minimal Visibility, Printable

**Description:** BT-279 is 76 mesh high quality, Low Gloss finish, polyethylene-coated cloth tape with a strong natural rubber adhesive. This unique product with its low light reflectivity makes BT-279 suitable for entertainment applications

where minimal visibility is required. A specially-formulated adhesive allows for clean removal on most surfaces (surface type and dwell time may affect performance). This tape will conform well to irregular surfaces, and will not twist or curl during application. Excellent water and abrasion resistance. Tape is hand-tear-able (cutting tools not required).

**Adhesive:** Natural Rubber  
**Color:** Black, Brown, White  
**Market:** Convention, Entertainment  
**Substrate:** Polyethylene (PE) Coated Cloth

**BT-279S | AV Cord Tape**

**Applications:** Bookbinding, Cable Wrapping, Floor Marking, Identifying, Joining, Masking, Splicing, Temporary Holding

**Tags:** Clean Removal, Cloth Tape, Conformable, Easy Unwind, Excellent Waterproofing Properties, Flexible, Hand Tearable, High Initial Tack, Low Reflectivity, Matte finish, Printable

**Description:** BT-279S is a high quality 80 mesh, polyethylene coated waterproof cloth tape, coated

with a pressure sensitive natural rubber resin adhesive and a superior matte finish.

**Adhesive:** Natural Rubber/Resin  
**Application:** Binding, Floor Marking, Joining, Masking, Temporary Holding  
**Color:** Black  
**Market:** Arts & Entertainment, Exhibition  
**Substrate:** PE-Coated Waterproof Cloth

**BT-260 | Professional Grade Gaffer's Tape**

**Applications:** Abrasion Resisting, Binding, Blocking, Book Repairing, Bookbinding, Bundling, Cable Wrapping, Color Coding, Edge Reinforcing, Fingertip Abrasion Resisting, General Repairing, Grit Blast Masking, Humidity Resisting, Identifying, Impact Resisting, Labeling, Light Blocking, Marking, Masking, Mediablast Masking, Part Marking, Patching, Place Marking, Releasing, Repairing, Safety Marking, Seaming, Tool Wrapping, Vinyl Seat Repairing, Weatherproofing, Wire Identifying

**Tags:** Clean Removal, Cloth Tape, Conformable, Heavy Duty, High Adhesion, Low Reflectivity, Low VOC Content

**Description:** BT-260 is a premium quality, matte-finish vinyl coated cloth tape with a rubber adhesive. Its non-reflective, moisture-resistant surface makes it a desirable tape for photography, film, convention and hospitality applications.

**Adhesive:** Clear Synthetic Rubber  
**Adhesive Strength:** 66 oz/in  
**Color:** Black, Beige, Blue, Electric Blue, Brown, Burgundy, Gray, Green, Purple, Red, Teal, White, Yellow and Fluorescent colors Fl. Blue, Fl Green, Fl, Orange, Fl. Pink, Fl. Yellow.  
**Market:** Photography, Film, Convention, Hospitality  
**Total Thickness:** 12 mils  
**Substrate:** Matte-Finish Vinyl Coated Cloth

**BT-698 | Premium Grade Gaffer's Tape**

**Applications:** Abrasion Resisting, Binding, Blocking, Book Repairing, Bookbinding, Cable Wrapping, Color Coding, Edge Reinforcing, Fingertip Abrasion Resisting, General Repairing, Grit Blast Masking, Holding, Humidity Resisting, Identifying, Impact Resisting, Labeling, Light Blocking, Marking, Masking, Mediablast Masking, Part Marking, Patching, Place Marking, Protecting, Releasing, Repairing, Seaming, Tool Wrapping, Vinyl Seat Repairing, Water Resisting, Waterproof Sealing, Weather Sealing, Weatherproofing, Wire Identifying

**Tags:** Cloth Tape, Conformable, Durable, Excellent Holding Power, Excellent Weathering, Premium Grade, Very High Tensile Strength, Waterproof Backing

**Description:** BT-698 is a premium grade coated Gaffer's Tape.

**Adhesive:** Natural Rubber  
**Color:** Black, White, Gray  
**Market:** Arts & Entertainment  
**Substrate:** Vinyl Coated Cloth



# AV Cord Tape™

*Holds cords tight, no sticky residue*

## Arts & Entertainment / Exhibition Tape

*When the show's over, AV Cord Tape's proprietary adhesive removes easily from cords and wires!*

*Colors available: BT-279: Black, White and Brown. BT-279S: Black only. BT-6110: Black/Yellow.*

**Bron's AV Cord Tape is Conformable, Easy to Use, Waterproof, Flexible, Hand-Tearable and Printable.**

A quality matte finish offers Low/No Light Reflection.



**SAFETY FIRST!**

**BT-279**  
*Our latest innovation! A high-tack version developed specifically for carpets and floors that are treated with stain-resistant chemicals. Residue-free removal.*

**BT-279S**  
*Our original! Clean removal. No residue on carpets or cords.*

**New!**  
**AV Cord Hazard Tape**  
BT-6110

*No need for 2 tapes! Cords are secure in one pass. Reduce tripping and liability with this brightly colored hazard tape. Clean removal!*

- For Temporary fixing and holding of wire and cables to floors and walls
- Masking and marking of stage equipment
- Floor marking stages, film sets
- Color coding and identification
- Book and spine binding



## CLOTH TAPE

### BT-198 | Utility Grade Duct Tape 7 mil

**Applications:** Bundling, General Repairing, Heavy Duty Carton Sealing, Joint Sealing, Mending, Patching, Pipe Wrapping

**Tags:** Cloth Tape, Duct Tape, Conformable, Good All Climate Performance, Hand Tearable

Description: BT-198 is a utility grade duct tape with a PE coated cloth backing and rubber adhesive.

Adhesive: Rubber  
Color: Silver, Black  
Market: General Repair, Maintenance  
Substrate-Carrier: PE-Coated Cloth

### BT-257 | Industrial Grade Duct Tape 9 mil

**Applications:** Abating & Restoring, Binding, Book Repairing, Bookbinding, Bundling, Closing, Packaging, Pipe Wrapping, Sealing, Temporary Dust and Work Enclosure Mounting, Weatherproofing, Wrapping

**Tags:** Duct Tape, Economy Grade

Description: BT-257 is a polyethylene (PE) coated cloth tape with an aggressive pressure-sensitive natural rubber adhesive. Designed to answer the need for an economical approach to applications.

Adhesive: Natural Rubber/Resin  
Color: Silver, Black, Red  
Market: Book Bindery, Packaging & Shipping  
Specifications: Meets HUD, L.A. County, and BOCA codes. Tested in accordance with UL-723.  
Substrate: Polyethylene-Coated Cloth

### BT-284 | Construction Grade Duct Tape 9 mil

**Applications:** Abating & Restoring, Bag Sealing, Book Repairing, Carpet, Padding, Protective Sheet Bundling, Color Coding, General Repairing, Identifying, Labeling, Marking, Mending, Moisture Resisting, Part Marking, Patching, Repairing, Seaming, Securing, Twist and Curl Resisting, Wire Identifying

**Tags:** Conformable, Duct Tape, High Adhesion, Low VOC Content

Description: BT-284 is a contractor grade duct tape.

Adhesive: Rubber  
Color: Black, Blue, Green, Red, Silver, White  
Market: Abatement, Convention & Entertainment, Hotel  
Substrate: Polyethylene-Coated Cloth

### BT-286 | Professional Grade Duct Tape 10 mil

**Applications:** Bag Sealing, Binding, Book Repairing, Bundling, Closing, Color Coding, General Repairing, Grit Blast Masking, Hanging, Identifying, Joint Sealing, Labeling, Marking, Mediablast Masking, Moisture Resisting, Part Marking, Patching, Place Marking, Repairing, Seaming, Temporary Holding, UV Resisting, Wire Identifying

**Tags:** Conformable, Duct Tape, Excellent Adhesion, Low VOC Content

Description: BT-286 is a multi-purpose duct tape with a PE coated cloth backing and rubber adhesive.

Adhesive: Natural Rubber  
Color: Black, Blue, Beige, Green, Red, Yellow  
Market: Construction & Building  
Meets Specifications: Can contribute toward satisfying EQ Credit 4.1 (Low Emitting Materials) under LEED®  
Substrate-Carrier: Polyethylene-Coated Cloth

## CLOTH TAPE

### BT-287 | Multi-Purpose Duct Tape 9 mil

**Applications:** Abating & Restoring, Binding, Book Repairing, Bundling, Carpet, Padding, Protective Sheet Bundling, Closing, Color Coding, General Repairing, Identifying, Joint Sealing, Labeling, Marking, Moisture Resisting, Packaging, Part Marking, PE Sheeting Sealing, Pipe Wrapping, Place Marking, Repairing, Seaming, Temporary Dust and Work Enclosure Mounting, Temporary Holding, Wire Identifying

**Tags:** Conformable, Duct Tape, Hand Tearable, Low VOC Content

Description: BT-287 is a general purpose duct tape for packaging and repair, seaming and sealing PE sheeting, temporary holding for audio visual cords, or color coding.

Adhesive: Natural Rubber  
Color: Black, Blue, Brown, Green, Red, Silver, Yellow, White  
Meets Specifications: Can contribute toward satisfying EQ Credit 4.1 (Low Emitting Materials) under LEED®  
Substrate: Polyethylene-Coated Cloth

### BT-4736 | Clean Green™ Premium Outdoor Duct Tape

**Applications:** Acid and Alkali Resisting, Blocking, Bundling, Carpet Hold Down, Chemical Resisting, Color Coding, Edge Reinforcing, Edge Tear & Split Resisting, Floor Marking, General Repairing, Hanging, Holding, Identifying, Indoor/Outdoor Masking, Labeling, Locating, Marking, Masking, Metal Parts Protecting, Moisture Resisting, Paint Masking, Part Marking, Patching, Place Marking, Positioning, Preventing, Protecting, Puncture Resisting, Releasing, Repairing, Scratch Resisting, Seaming, Securing, Solvent Resisting, Spray Paint Masking, Surface Protecting, Tear Resisting, Temporary Surface Protecting, UV Blocking, UV Resisting, Water Resisting, Waterproof Sealing, Weather Resisting, Weather Sealing, Weatherproofing, Window and Door Masking, Wire Identifying, Wrapping

**Tags:** Chemical Resistant, Clean Removal, Duct Tape, Ease of Use, Hand Tearable, Repositionable, Solvent-Resistant, Waterproof

Description: BT-4736 Clean Green™ is a single sided tape build with a laminated polyethylene cloth and proprietary acrylic adhesive. This tape offers superior physical properties and easy handling compared with conventional tapes.

Adhesive: Proprietary Acrylic  
Application: Masking, Repairing, Surface Protection  
Color: Green  
Substrate: Laminated polyethylene cloth

### BT-6110 | Safety / Hazard Cloth Striped Tape

**Applications:** Abrasion Resisting, Aisle Marking, Floor Marking, Identifying, Place Marking, Safety Marking

**Tags:** Cloth Tape, Conformable, Ease of Use, Hand Tearable, No Residue On Most Surfaces

Description: BT-6110 is a 63 mesh, high quality polyethylene-coated cloth tape, coated with a natural rubber based adhesive. The film is printed with a black/yellow stripe pattern used as a permanent or temporary zone/aisle marking of

hazardous areas or to differentiate work zones (warehouses, stores, office buildings, etc.).

Adhesive: Natural Rubber  
Color: Black/Yellow  
Market: Manufacturing, Convention/Exhibition Halls and Residential/Commercial Sites.  
Substrate-Carrier: PE-Coated Cloth

We have to admit...

# Clean Green™ Tape is Really Tearable!



## Clean Green™

Multi-Purpose Masking,  
Protection & Repair Tape

BT-4736

With Bron's Clean Green™ you get the strength of a laminated polyethylene cloth and the convenience of the tape being easy to tear by hand.

This versatile tape leaves no residue on most surfaces and can be repositioned time and again with no wrinkles. Plus, it's waterproof and UV resistant up to two months exposure to sunlight!

**CLEAN  
GREEN™**

- MASK
- PROTECT
- QUICK REPAIR



**Bron Tapes**  
875 W. Ellsworth Ave  
Denver, CO 80223  
**1-888-877-2766** (BRON)  
service@brontapes.com  
brontapes.com



PRODUCT CATALOG  
2020

[Back to Table of Contents >](#)

## DOUBLE COATED TAPE

### BT-100DX | Differential Double Coated Carpet Tape

**Applications:** Abating & Restoring, Carpet Hold Down, Carpet Installing, Moisture Resisting, Mounting, Polyethylene Splicing, Temporary Holding

**Tags:** Clean Removal, Conformable, Differential Adhesive, Double Coated - Cloth Tape, Hand Tearable, Low VOC Content, Reinforced

**Description:** BT-100DX is a double-coated cloth tape with a blue LDPE liner, suitable for use in carpet hold-down applications in the convention and entertainment industries, as well as general mount-

ing and holding. Liner side adhesive is designed for rough surfaces such as concrete, carpet or tile.

**Adhesive:** Differential natural rubber  
**Color:** Natural  
**Liner:** LDPE  
**Liner Color:** Blue  
**Market:** Convention, Entertainment  
**Meets Specifications:** Can contribute toward satisfying EQ Credit 4.1 (Low Emitting Materials) under LEED®  
**Substrate:** Reinforced Cloth

### BT-105 | General Purpose Double Coated Carpet Tape

**Applications:** Abating & Restoring, Carpet Hold Down, Carpet Installing, Composite Bonding, Hanging, Holding, Installing, Moisture Resisting, PE Sheeting Sealing, Polyethylene Splicing, Temporary Holding, Temporary Mounting

**Tags:** Clean Removal, Conformable, Double Coated - Cloth Tape, Ease of Use, High Initial Tack, Low VOC Content

**Description:** BT-105 is a double-coated cloth tape with a blue LDPE liner, suitable for use in carpet

hold-down applications in the convention and entertainment industries.

**Adhesive:** Natural Rubber  
**Color:** Natural  
**Liner:** LDPE  
**Liner Color:** Blue  
**Meets Specifications:** Can contribute toward satisfying EQ Credit 4.1 (Low Emitting Materials) under LEED®  
**Substrate:** Cloth

### BT-437 | Premium Double Coated Carpet Tape

**Applications:** Abating & Restoring, Bonding, Carpet Hold Down, Carpet Installing, Construction Bonding, Display Mounting, Fastening, Hanging, Holding, Installing, Joining, Laminating, Moisture Resisting, Mounting, PE Sheeting Sealing, Polyethylene Splicing, Print Plate Mounting, Temporary Dust and Work Enclosure Mounting, Temporary Holding, Temporary Mounting, Water Resisting

**Tags:** Aggressive Adhesive, Clean Removal, Double Coated - Cloth Tape, Good Shear Resistance, High Adhesion

**Description:** BT-437 is a double sided tape based on a woven cotton cloth coated on both sides with an aggressive, natural rubber based adhesive system. The product is supplied on a blue poly liner. BT-437 is suitable for use in carpet hold down applications in the convention and entertainment industries.

**Adhesive:** Rubber, **Color:** Natural  
**Liner:** Polyethylene, **Liner Color:** Blue  
**Market:** Assembly & Machining, Convention, Entertainment  
**Substrate:** Woven Cotton Cloth

### BT-123 | Double Coated Polyester Splicing Tape

**Applications:** ABS Plastic Mounting, Assembling, Attaching, Bag Sealing, Bonding, Construction Bonding, Display Mounting, Fastening, Foam Laminating, High Speed Flying Splicing, High Temperature Splicing, Joining, Laminating, Lightweight Mounting, Medium Duty Mounting, Mounting, Photograph Mounting, Splicing, Textile Laminating

**Tags:** Dimensionally Stable, Double Coated - Film Tape, Excellent adhesion in cold temp, Excellent High Tack, Good shear & Heat Resistance, Hand Tearable

**Description:** BT-123 is a polyester film, double coated with a high tack acrylic adhesive. The product is supplied with a 60# kraft release liner.

**Adhesive:** High Tack Acrylic  
**Color:** Clear  
**Liner:** 60# Kraft  
**Liner Color:** Brown  
**Market:** Decoration, Industrial  
**Substrate:** Polyester



## DOUBLE COATED TAPE

### BT-246 | Performance Grade Thin Bonding Tape

**Applications:** ABS Plastic Mounting, Acoustical Insulating, Assembling, Attaching, Bag Sealing, Bonding, Construction Bonding, Display Mounting, EPDM Bonding, EPDM Rubber Laminating, Foam Fabricating, Foam Gasketing, Foam Laminating, Gasketing, Hanging, High Speed Flying Splicing, High Temperature Resisting, High Temperature Splicing, High-Low Temperature Resisting, Humidity Resisting, Joining, Laminating, Leather Laminating, Lightweight Mounting, Medium Duty Mounting, Moisture Resisting, Mounting, PE Sheeting Sealing, Photograph Mounting, Rubber/EPDM Mounting, Seaming, Securing, Solvent Resisting, Splicing, Textile Laminating, Thermal Insulating, UV Resisting, Water Resisting, Weather Sealing

**Tags:** Bonds to LSE Substrates, Excellent Resistance to Environmental Extremes, Exceptionally High Tack and Peel, High Adhesion

Description: BT-246 is an extremely high tack and peel adhesion tape that adheres very well to low surface energy substrate.

Adhesive: Acrylic  
Color: Clear  
Liner: Paper  
Liner Color: Brown  
Substrate: PET

### BT-480 | Premium Double Coated Paper Tape – Golf Grip Tape

**Applications:** Carpet Installing, Display Mounting, Fastening, Golf Club Grip Bonding, Golf Club Grip Repairing, Holding, Installing, Joining, Laminating, Lightweight Mounting, Medium Duty Mounting, Mounting, Photograph Mounting, Positioning, Print Plate Mounting, Temporary Bonding, Temporary Holding, Temporary Mounting

**Tags:** Double Coated - Paper Tape, Ease of Use

Description: BT-480 is a bleached flatback paper product coated with a high shear resistant

pressure sensitive natural rubber/resin adhesive on both sides that bond equally well to almost any surface.

Adhesive: Natural Rubber/Resin  
Color: Natural  
Liner: Easy Release Treated Crepe Paper  
Liner Color: White  
Substrate: Bleached Flatback

### BT-481 | General Purpose Double Coated Paper Tape

**Applications:** Bonding, Carpet Installing, Golf Club Grip Bonding, Holding, Joining, Lightweight Mounting, Medium Duty Mounting, Photograph Mounting, Positioning, Temporary Bonding, Temporary Mounting

**Tags:** Aggressive Adhesive, Double Coated - Paper Tape, Easy Release Liner

Description: BT-481 is a beige crepe paper tape coated on both sides with an aggressive, pressure-sensitive natural rubber adhesive

that bonds equally well on both sides to almost any surface.

Adhesive: Natural Rubber  
Color: Natural  
Liner: Easy Release Treated Crepe Paper  
Liner Color: White  
Market: Printing, Textile Manufacturing (Twister Room), Steel-Rule Die (Make Ready)  
Substrate-Carrier: Crepe Paper

## DOUBLE COATED TAPE

### BT-678 | Double Coated Polyester Film Tape

**Applications:** Assembling, Bonding, EPDM Bonding, EPDM Rubber Laminating, Foam Fabricating, Foam Gasketing, Foam Laminating, Gasketing, Moisture Resisting, Solvent Resisting, Splicing, Textile Laminating, UV Resisting, Weather Resisting

**Tags:** Double Coated, High Peel Adhesion, High Tack, highly conformable, Indoor-Outdoor, Vinyl Tape - Pipe Wrap Tape

Description: BT-678 is constructed of a polyester film coated on both sides with a high performance

solvent acrylic adhesive system. BT-678 offers excellent adhesion to ester & ether foams and performs in cold weather environments. BT-678 is used in a variety of splicing, foam fabrication & bonding applications, and is used in both indoor and outdoor environments.

Adhesive: Solvent Acrylic  
Color: Clear  
Liner: Silicone-Coated Paper  
Liner Color: White  
Substrate-Carrier: Polyester Film

### BT-1148 | MCD Double Coated Tape

**Applications:** Abating & Restoring, Containment, Draping, PE Sheeting Sealing, Polyethylene Splicing, Releasing, Temporary Dust and Work Enclosure Mounting

**Tags:** Differential Adhesive, Double Coated - Cloth Tape

Description: BT-1148 is a double coated tape with a textile carrier and a differential, pressure

sensitive adhesive system. The liner is white film, silicone-treated on both sides.

Color: White/Blue  
Liner: Siliconized PE  
Liner Color: White  
Market: Renovation, Abatement, Construction  
Substrate-Carrier: Textile

### BT-3579 | ATG Tape 2 mil

**Applications:** Bonding, Display Mounting, Fastening, Holding, Joining, Laminating, Mounting

**Tags:** Double Coated - ATG Tape, High Initial Tack, High Shear

Description: BT-3579 is a general purpose ATG tape for holding many paper, foils, films and various foams. This tape has a medium firm acrylic pressure sensitive adhesive system. It features an

excellent balance of high initial adhesion (quick stick) and good shear holding power.

Adhesive: Acrylic  
Color: Clear  
Liner: Densified Kraft Paper  
Liner Color: Tan

### BT-3595 | ATG Tape 5 mil

**Applications:** Assembling, Attaching, Bonding, Display Mounting, Fastening, Joining, Laminating, Mounting

**Tags:** Double Coated - ATG Tape, High Adhesion, High Initial Tack, High Shear

Description: BT-3595 is ideal for bonding materials with glossy coatings where an aggressive adhesive with high initial adhesion is desired. BT-3595 has a soft acrylic pressure-sensitive adhesive system. It features very high initial

adhesion and good shear holding power to a wide variety of materials including most plastics.

Adhesive: Acrylic  
Color: Clear  
Liner: Densified Kraft Paper  
Liner Color: Tan



## DOUBLE COATED TAPE

### BT-3854 | Killer Red® World's Greatest Double Coated Tape

**Applications:** ABS Plastic Mounting, Assembling, Attaching, Bag Sealing, Bonding, Composite Bonding, Construction Bonding, Display Mounting, Draping, Fastening, Foam Fabricating, Foam Gasketing, Foam Laminating, Gasketing, Hanging, High Temperature Resisting, High Temperature Splicing, High-Low Temperature Resisting, Holding, Humidity Resisting, Installing, Joining, Laminating, Leather Laminating, Lightweight Mounting, Medium Duty Mounting, Moisture Resisting, Mounting, Photograph Mounting, Rubber/EPDM Mounting, Seaming, Securing, Solvent Resisting, Splicing, Textile Laminating, UV Blocking, Very High Bonding, Water Resisting, Weather Resisting, Weather Sealing

**Tags:** Critical Substrates, Double Coated - Film Tape, High Adhesion

Description: BT-3854 Killer Red® is a transparent, double-coated self-adhesive tape consisting of a PET backing and a modified acrylic adhesive.

BT-3854 is suitable for mounting and bonding applications in the appliance industry, and for mounting of ABS plastic parts in the car industry. It is also used for self-adhesive mounting of rubber/EPDM profiles; mounting of decorative profiles and moldings in the furniture industry; mounting of battery packs, lenses and touch-screens in electronic devices and mounting and bonding in the appliance industry.

**Adhesive:** Modified Acrylic  
**Color:** Clear  
**Liner:** MOPP Film  
**Liner Color:** Red  
**Market:** Automotive, Furniture, Electronics, Appliance  
**Substrate:** PET

### BT-3869 | Premium Banner / Trophy Tape

**Applications:** ABS Plastic Mounting, Assembling, Attaching, Bonding, Construction Bonding, Display Mounting, Draping, Fastening, Foam Laminating, Hanging, Holding, Installing, Joining, Laminating, Lightweight Mounting, Medium Duty Mounting, Mounting, Plasticizer Resisting, Seaming, Securing, Textile Laminating

**Tags:** Double Coated - Film Tape, High Adhesion, High Coating Weight, High Initial Tack, Plasticizer Resistant

Description: BT-3869 is a thick double-coated self-adhesive tape consisting of white PVC film backing with a yellow coated paper release liner.

The adhesive is a modified acrylic system; it is especially resistant to plasticizers and offers a secure bond at normal temperatures. BT-3869 exhibits an excellent combination of high tack and immediate adhesion. Its high coating weight allows for good bonding performance on rough or dusty surfaces, and it is suitable for mounting and bonding applications in the appliance industry.

**Adhesive:** Tackified Acrylic  
**Color:** White  
**Liner:** Glassine,  
**Liner Color:** Brown  
**Market:** Appliance, Furniture, Construction  
**Substrate:** PVC Film

### BT-7670 | Double Coated Tissue Splicing Tape

**Applications:** ABS Plastic Mounting, Acoustical Insulating, Assembling, Attaching, Bag Sealing, Bonding, Construction Bonding, Display Mounting, Fastening, Foam Laminating, High Speed Flying Splicing, High Temperature Splicing, Joining, Laminating, Leather Laminating, Lightweight Mounting, Medium Duty Mounting, Mounting, Splicing, Textile Laminating, Thermal Insulating

**Tags:** Double Coated - Tissue Tape, Good Shear Resistance, High Initial Tack

Description: BT-7670 is a double-coated tape consisting of a non-woven backing equipped with a solvent-based tackified acrylic adhesive. It provides high initial tack and good shear resistance.

**Adhesive:** Tackified Acrylic  
**Color:** Clear  
**Liner:** PE-coated Paper  
**Liner Color:** White  
**Substrate:** Nonwoven

## DOUBLE COATED TAPE

### BT-48896 | Scrim-Bond™ Tape – 9 Mil Reinforced Scrim Tape

**Applications:** Bonding, Carpet Installing, Construction Bonding, Foam Fabricating, Foam Gasketing, Foam Laminating, Gasketing, Laminating, PE Sheeting Sealing, Polyethylene Splicing

**Tags:** Balanced Initial Tack, Double Coated - Scrim Tape, Surfaces with Higher Roughness Depth

Description: BT-48896 Scrim-Bond™ is a polyester scrim tape used in bonding and laminating applications. Scrim-Bond™ is widely used in

the foam fabricating and flooring industry for laminating and bonding applications.

**Adhesive:** Solvent-Free Acrylic Dispersion  
**Color:** Natural  
**Liner:** SCK  
**Liner Color:** Brown  
**Market:** Acrylic Dispersion, Foam Fabricating, Flooring  
**Substrate-Carrier:** Polyester Scrim

### BT-S94 | Contractor Grade Double Coated Cloth Tape

**Applications:** Carpet Installing, Construction Bonding, Holding, Mounting, Polyethylene Splicing

**Tags:** Double Coated - Cloth Tape, General Purpose

Description: BT-S94 is a white, general purpose, industrial grade, double face cloth tape. It has a polyester/cotton blend cloth with a synthetic rubber adhesive, and is supplied on a white paper liner.

**Adhesive:** Synthetic Rubber  
**Color:** White  
**Liner:** Siliconized Flat Paper  
**Liner Color:** White  
**Substrate-Carrier:** Polyester/Cotton Blend Cloth

### BT-4000 | 2-N-One Tape Double Coated Laminated Tape With Differential Adhesive

**Applications:** Abating & Restoring, Carpet Hold Down, Display Mounting, Draping, Installing, PE Sheeting Sealing, Polyethylene Splicing, Releasing, Temporary Dust and Work Enclosure Mounting, Temporary Holding, Temporary Mounting

**Tags:** Clean Removal, Conformable, Differential Adhesive, Double Coated - Cloth Tape, High Adhesion

Description: Bron's 2-N-One-Tape is a double coated laminated tape that brings together the best of two worlds: clean removal on one side, and a strong grip on the other. Our exclusive product has a conformable blue crepe paper coated with a 14-day adhesive on the clean removal side, and a woven cotton cloth coated with an aggressive high tack adhesive on the other side.

**Adhesive:** Clean Removal Side: Solvent-Based Acrylic; Grip Side: Natural Rubber  
**App:** Temporary Holding  
**Color:** White/Blue Laminated  
**Liner:** Polyethylene  
**Liner Color:** White  
**Market:** Trade Show, Abatement & Restoration, Construction & Remodeling  
**Substrate-Carrier:** Clean Removal Side: Saturated Blue Crepe Paper; Grip Side: Woven Cotton Cloth



## FILAMENT / STRAPPING TAPE

### BT-300 | Packaging Grade Filament Tape

**Applications:** Bundling, Carpet Installing, Carpet, Padding, Protective Sheet Bundling, Carton Sealing, Dispensing, Edge Tear & Split Resisting, Heavy Duty Carton Sealing, Heavy Packaging, Medium Duty Packaging, Packaging, Palletizing, Reinforcing, Securing, Tear Resisting, Unitizing

**Tags:** Aggressive Adhesive, Filament / Strapping - Packaging, High Adhesion, Medium Strength, Outstanding Holding Power, Reinforced

Description: BT-300 is a medium strength fiber-glass reinforced tape designed for the majority of

packaging, palletizing and unitizing applications. The 1.1 mil polypropylene film combined with an aggressive 'solventless' pressure sensitive adhesive provides excellent adhesion to corrugated cartons and outstanding holding power.

Adhesive: Synthetic Rubber  
Color: White  
Market: Packaging & Shipping  
Substrate: Bi-Axially-Oriented Polypropylene

### BT-644 | Paper Filament Tape

**Applications:** Bundling, Carpet, Padding, Protective Sheet Bundling, Carton Sealing, Edge Tear & Split Resisting, General Repairing, Light Packaging, Light Weight Carton Sealing, Medium Duty Packaging, Packaging, Reinforcing, Repairing, Tear Resisting

**Tags:** Filament / Strapping - Paper Filament, High Adhesion, Printable, Reinforced

Description: BT-644 is a natural colored paper backed reinforced filament tape coated with a rubber adhesive. This aggressive adhesive works

well in low temperatures and bonds to most surfaces. Its smooth backing can easily be marked on with pen, crayon or rubber stamp.

Adhesive: Rubber  
Color: Natural  
Substrate: Reinforced Crepe Paper

### BT-812 | Performance Grade Paper Filament Tape

**Applications:** Bundling, Carpet, Padding, Protective Sheet Bundling, Carton Sealing, Edge Tear & Split Resisting, General Repairing, Heavy Duty Carton Sealing, Heavy Packaging, Holding, Packaging, Palletizing, Reinforcing, Repairing, Securing, Tear Resisting

**Tags:** Filament / Strapping - Paper Filament, High Adhesion, Medium Tensile Strength, Medium-Impact, Reinforced

Description: BT-812 is an all-purpose fiberglass reinforced paper backed strapping tape with pressure-sensitive natural rubber/resin adhesive. Medium-tensile strength, high adhesion and medium-impact.

Adhesive: Natural Rubber/Resin  
Color: Natural  
Market: Packaging & Shipping  
Substrate: Medium Crepe Paper

### BT-7925 | Performance Grade TPP Tape

**Applications:** Binding, Bundling, Carpet Installing, Carpet, Padding, Protective Sheet Bundling, Carton Sealing, Closing, Dispensing, Heavy Duty Carton Sealing, Heavy Packaging, Holding, Medium Duty Packaging, Packaging, Paint Stripping, Palletizing, Reinforcing, Securing, Shipping, Stain Resisting, Tear Resisting, Transfer Resisting, Unitizing

**Tags:** Clean Removal, Filament / Strapping - TPP, Medium Duty, No Discoloration

Description: BT-7925 is a medium duty tensilized polypropylene strapping tape with a natural rubber adhesive system.

Adhesive: Natural Rubber  
Color: Ivory  
Market: Appliance, Furniture  
Substrate-Carrier: Tensilized Polypropylene (TPP)

## FOAM TAPE

### BT-709 | Low Density Foam Tape

**Applications:** Absorbing, Air, Moisture, Light & Dust Sealing, Cushioning, Damping, Duct Sealing, Fabricating, Foam Fabricating, Foam Gasketing, Gasketing, Moisture Resisting, Shock Absorbing, Sound Damping, Temperature Insulating, Thermal Insulating, Vibration Damping, Water Resisting, Weatherproofing

**Tags:** Conformable, Foam Tape - Gasketing / Cushioning, Resilient

Description: BT-709 is a light density closed-cell PVC foam. This economical, general-purpose foam tape is manufactured for use in applications requiring positive seals on irregular surfaces or when flex and conformability to seal tight radius

curves are critical considerations. Characteristics common to all closed cell vinyl foam products include the ability to make a long life seal against air, moisture, light and dust penetration. Closed-cell vinyl foam completely seals out air, moisture, light and dust when compressed 30% or more.

Color: Gray  
Liner: Cast on a 5 mil super calendared Kraft 83# paper  
Liner-Color: Brown  
Market: Construction, H.V.A.C., Industrial, Leisure, Transportation, Retail  
Substrate-Carrier: Low Density Closed-Cell PVC Foam

### BT-7272 | Low Density Foam Tape

**Applications:** Absorbing, Air, Moisture, Light & Dust Sealing, Cushioning, Damping, Duct Sealing, Foam Fabricating, Foam Gasketing, Gasketing, Moisture Resisting, Shock Absorbing, Sound Damping, Temperature Insulating, Thermal Insulating, Vibration Damping, Water Resisting, Weatherproofing

**Tags:** Conformable, Economical, Flexible, Foam Tape - Gasketing / Cushioning, General Purpose, Low Density, Secure Bonding on Irregular Surfaces

Description: BT-7272 is a light density closed-cell PVC foam. This economical, general-purpose foam tape is manufactured for use in applications requiring positive seals on irregular surfaces or when flex and conformability to seal tight radius

curves are critical considerations. Characteristics common to all closed cell vinyl foam products include the ability to make a long life seal against air, moisture, light and dust penetration. Closed-cell vinyl foam completely seals out air, moisture, light and dust when compressed 30% or more.

Color: Black  
Liner: Cast Paper  
Liner-Color: White  
Market: Automotive, Construction, H.V.A.C., Industrial, Leisure, Transportation, Retail  
Meets-specifications: Self-extinguishing formulation meets FMVSS 302A  
Substrate-Carrier: Low Density Closed-Cell PVC Foam

### BT-2503 | Medium Density Foam Tape – Single Sided

**Applications:** Absorbing, Air, Moisture, Light & Dust Sealing, Cushioning, Damping, Fabricating, Foam Fabricating, Foam Gasketing, Gasketing, Impact Resisting, Moisture Resisting, Oil Resisting, Shock Absorbing, Sound Damping, Temperature Insulating, Thermal Insulating, Vibration Damping, Weather Sealing

**Tags:** Cushions heavy loads, Die Cuts, Excellent Dimensional Stability, Foam Tape - Gasketing / Cushioning

Description: BT-2503 is a medium density closed-cell PVC foam. The tape provides an excellent combination of flexibility and conformability with strength and wear resistance. Performs in those "tough duty" applications where a tape must still flex to fit and seal. Characteristics common to all

closed-cell vinyl foam products include the ability to make a long life seal against air, moisture, light and dust penetration. Closed-cell vinyl foam completely seals out air, moisture, light and dust when compressed 30% or more.

Color: Black  
Liner: Cast on a 5 mil super calendared Kraft 83# paper  
Liner-Color: Brown  
Market: Construction, H.V.A.C., Industrial, Leisure, Transportation, Retail  
Substrate-Carrier: Medium Density Closed-Cell PVC Foam



## FOAM TAPE

### BT-2505 | Medium Density Foam Tape – Double Sided

**Applications:** Absorbing, Air, Moisture, Light & Dust Sealing, Chemical Resisting, Cushioning, Damping, Fabricating, Fire Resisting, Foam Fabricating, Foam Gasketing, Gasketing, High Movement Joint Sealing, Impact Resisting, Moisture Resisting, Oil Resisting, Shock Absorbing, Solvent Resisting, Sound Damping, Temperature Insulating, Thermal Insulating, UV Resisting, Vibration Damping, Water Resisting, Weather Sealing, Weatherproofing

**Tags:** Double Coated, Foam Tape - Gasketing / Cushioning

Description: BT-2505 is a medium density closed-cell PVC foam. It is coated on both sides with an

aggressive, pressure sensitive adhesive, A3, and 84# polycoated two side, brown kraft liner. It has the ability to make long life seals against air, moisture, light and dust penetration. It completely seals out air, moisture, light and dust when compressed 30% or more. It is inherently resistant to fire, ultraviolet rays, most chemicals, and solvents.

**Adhesive:** A3, Color: Black  
**Liner:** 84# Polycoated Kraft Paper  
**Liner-Color:** Brown  
**Market:** Construction, H.V.A.C., Industrial, Leisure, Transportation, Retail  
**Substrate-Carrier:** Medium Density Closed-Cell PVC Foam

### BT-1095 | General Purpose Foam Bonding Tape

**Applications:** Construction Bonding, Cushioning, Damping, Foam Gasketing, Gasketing, Hanging, Holding, Lightweight Mounting, Medium Duty Mounting, Sound Damping, UV Resisting, Vibration Damping

**Tags:** Double Coated, Durable, Foam Tape - Mounting

Description: BT-1095 is a cost effective, double-coated mounting tape that combines excellent bond strength and durability in interior applications. BT-1095 is designed as a cost effective medium duty

general purpose mounting tape. The water based acrylic adhesive forms a strong permanent bond to a wide variety of substrates. A cross-linked EVA:PE co-polymer foam provides excellent mechanical strength for 1/32" and 1/16" tapes. A soft cross-linked PE foam is used in 1/8" and 1/4" tapes to provide better conformability to textured surfaces.

**Adhesive:** Water-based Acrylic, Color: White  
**Liner:** Paper, **Liner-Color:** White  
**Substrate-Carrier:** Cross-linked EVA:PE Co-polymer Foam

### BT-6265 | Two Sided Removable Foam Tape

**Applications:** Bonding, Chemical Resisting, Foam Fabricating, Foam Gasketing, Gasketing, Hanging, Holding, Humidity Resisting, Impact Resisting, Installing, Moisture Resisting, Positioning, Temporary Bonding, Temporary Mounting

**Tags:** Clean Removal, Foam Tape - Mounting, High Adhesion

Description: BT-6265 is a removable polyethylene foam tape, with proprietary blend adhesive on

each side and removable liner. Removes cleanly, even after long term applications.

**Adhesive:** Proprietary  
**Color:** White  
**Liner:** Silicone-Coated Paper  
**Liner-Color:** White  
**Substrate-Carrier:** Polyethylene Foam

### BT-1960 | Glazing Tape

**Applications:** Absorbing, Construction Bonding, Cushioning, Damping, Foam Fabricating, Foam Gasketing, Gasketing, Hanging, Holding, Lightweight Mounting, Medium Duty Mounting, Shock Absorbing, Sound Damping, Temperature Insulating, Thermal Insulating, UV Resisting, Vibration Damping, Water Resisting, Water, Dust and Light Sealing, Weather Resisting, Weather Sealing

**Tags:** Aggressive Adhesive, Dimensionally Stable, Ease of Use, Flexible, Foam Tape - Glazing, Superior Seal

Description: BT-1960 is a closed-cell polyethylene foam coated with an aggressive acrylic adhesive

system for optimum compatibility to a variety of materials. BT-1960's exposed side is coated with an adhesive specifically designed for adhesion to treated wood, vinyl and aluminum sash materials, while the liner side is used to seal lite surfaces. BT-1960 is constructed with patented cellular structured foam that is particularly resistant to weathering and water-absorption while providing a superior long-lived seal.

**Adhesive:** Acrylic, Color: Black / White  
**Liner:** Polyethylene, **Liner-Color:** Blue  
**Substrate-Carrier:** Closed-Cell Polyethylene Foam

## FOIL TAPE

### BT-7A | Performance Grade Copper Foil Tape

**Applications:** Cable Wrapping, Chemical Resisting, EMI EMF Shielding, Heat Reflecting, Oil Resisting, Plating Masking, Repairing, Shielding, Temperature, Aging and UV Resisting

**Tags:** Aggressive Adhesive, Annealed, Foil Tape - Copper, High Bonding Strength, Highly Conformable, Non-Tarnishing

Description: BT-7A is a 1.4 mil copper foil tape coated with an acrylic adhesive. This tape is

wound on a white paper release liner on a 3" plastic core.

**Adhesive:** Clear Acrylic  
**Color:** Copper  
**Liner:** Paper  
**Liner-Color:** White  
**Market:** Electrical, Electronics  
**Substrate-Carrier:** Copper Foil

### BT-7CA | Performance Grade Copper Foil Tape – Conductive

**Applications:** Cable Wrapping, Chemical Resisting, Conducting, Electrostatic Dissipating (ESD), EMI EMF Shielding, Heat Reflecting, Oil Resisting, Plating Masking, Seaming, Shielding, Temperature, Aging and UV Resisting

**Tags:** Aggressive Adhesive, Annealed, Foil Tape - Copper, Highly Conformable, Non-Tarnishing

Description: BT-7CA is a 1.4 mil copper foil coated with a special acrylic adhesive, which is uniformly dispersed with conductive spheres to provide a

very low rate of electrical resistance through the tape. BT-7CA is wound on a white paper release liner with a 3" plastic core.

**Adhesive:** Clear Conductive Acrylic  
**Color:** Copper  
**Liner:** Paper  
**Liner-Color:** White  
**Market:** Electrical, Electronics  
**Process:** Soldering  
**Substrate-Carrier:** 1.4mil Copper Foil

### BT-50A | Multi-Purpose Aluminum Foil Tape – Lined

**Applications:** Acoustical Insulating, Chemical Resisting, Electroplating Masking, Heat Dissipating, Heat Reflecting, High Temperature Resisting, High-Low Temperature Resisting, Holding, Insulating, Masking, Oil Resisting, Paint Stripping, Patching, Plating Masking, Sealing, Seaming, Shielding, Solvent Resisting, Temperature Insulating, Thermal Insulating, Waterproof Sealing, Weather Sealing, Weatherproofing

**Tags:** Aggressive Adhesive, Conformable, Foil Tape - Aluminum, High Initial Tack

Description: BT-50A is a 2.0 mil durable aluminum foil -backed tape with a high performance solvent acrylic adhesive and protected by an easy-release silicone release paper.

**Adhesive:** 1.6 mil Solvent-based Acrylic  
**Color:** Silver  
**Liner:** Paper, **Liner-Color:** White  
**Substrate-Carrier:** 2.0 mil Dead Soft Aluminum

### BT-50R | Utility Grade Aluminum Foil Tape – Lined

**Applications:** Acoustical Insulating, Chemical Resisting, Duct Sealing, Heat Reflecting, High Temperature Resisting, High-Low Temperature Resisting, Insulating, Oil Resisting, Patching, Plating Masking, Seaming, Shielding, Solvent Resisting, Temperature Insulating, Thermal Insulating, Vapor Sealing

**Tags:** Aggressive Adhesive, Conformable, Foil Tape - Aluminum, High Initial Tack

Description: BT-50R is a 2.0 mil dead soft, malleable aluminum foil tape coated with an extremely aggressive synthetic rubber-resin adhesive and carried on a removable paper release liner.

**Adhesive:** 1.6 mil Synthetic Rubber Resin  
**Color:** Silver  
**Liner:** Paper, **Liner-Color:** White  
**Market:** FSK Systems, HVAC  
**Substrate-Carrier:** 2.0 mil Dead Soft Aluminum

## FOIL TAPE

### BT-50SW | Multi-Purpose Aluminum Foil Tape – Self-Wound

**Applications:** Acoustical Insulating, Chemical Resisting, Duct Sealing, Electroplating Masking, Heat Dissipating, Heat Reflecting, High Temperature Resisting, High-Low Temperature Resisting, Insulating, Paint Stripping, Patching, Plating Masking, Seaming, Shielding, Sound Damping, Vapor Sealing, Waterproof Sealing, Weather Sealing, Weatherproofing

**Tags:** Aggressive Adhesive, Foil Tape - Aluminum, Highly Conformable

**Description:** BT-50SW is a heavy-duty, 2 mil dead soft aluminum foil tape, self-wound, and coated with an acrylic pressure sensitive adhesive.

**Adhesive:** 1.3 mil Acrylic  
**Color:** Silver  
**Substrate:** Dead Soft Aluminum

### BT-67SW | Performance Grade Aluminum Foil Tape – Self-Wound

**Applications:** Chemical Resisting, Duct Sealing, Electroplating Masking, General Repairing, Heat Dissipating, Heat Reflecting, High Temperature Resisting, High-Low Temperature Resisting, Oil Resisting, Paint Stripping, Patching, Plating Masking, Repairing, Seaming, Shielding, Solvent Resisting, Sound Damping, Waterproof Sealing, Weather Sealing, Weatherproofing

**Tags:** Aggressive Adhesive, Foil Tape - Aluminum, Highly Conformable, Superior Bond

**Description:** BT-67SW is a 3 mil dead soft aluminum, heavy-duty foil tape, self-wound, and coated with an acrylic pressure sensitive adhesive.

**Adhesive:** 1.6 mil Acrylic  
**Color:** Silver  
**Substrate-Carrier:** Dead Soft Aluminum

### BT-2005 | Performance Grade Aluminum Foil Tape – Lined

**Applications:** Acoustical Insulating, Chemical Resisting, Closing, Damping, Electroplating Masking, Engine Component Wire Harness Bundling, Excess Paint Stripping Solvent Runoff Transporting, General Repairing, Heat Reflecting, High Temperature Masking, High Temperature Resisting, High-Low Temperature Resisting, Masking, Oil Resisting, Paint Stripping, Patching, Plating Masking, Repairing, Sandblast Masking, Seaming, Shielding, Shot Peen Masking, Solvent Resisting, Sound Damping, Surface Protecting, Temperature Insulating, Thermal Insulating, Vibration Damping, Waterproof Sealing, Weather Sealing, Weatherproofing

**Tags:** Clean Removal, Die Cuts, Excellent Chemical Resistance, Foil Tape - Aluminum, Formable, High Shear, High Temperature, Highly Conformable

**Description:** BT-2005 is designed to be used where exceptional chemical resistance is required, such as with the masking of sensitive parts and to secure protective drapes on aircraft during the paint stripping process. The tape can also be

formed into runoff "gutters" to take stripping solvent to catch basins. The tape can be die cut, if ordered with a protective interliner. Also useful for electroplating and where high temperature resistance is required.

**Adhesive:** Acrylic  
**App:** Masking Sensitive Parts, Securing protective drapes for paint and de-paint, Transporting solvent to catch basins  
**Color:** Silver  
**Liner:** Paper  
**Liner-Color:** White  
**Market:** Electroplating, Paint and De-Paint  
**Substrate:** Dead Soft Aluminum



## HIGH BOND TAPE

### BT-120RC | High Bond Tape 20 mil

**Applications:** Absorbing, Air, Moisture, Light & Dust Sealing, Hanging, High-Low Temperature Resisting, Impact Resisting, Moisture Resisting, Shock Absorbing, UV Resisting, Very High Bonding, Water Resisting, Weather Resisting, Weather Sealing

**Tags:** Double Coated, High Bond Tape, High Initial Tack

**Description:** BT-120RC is a clear (transparent) 20mil thick double sided self-stick closed cell pressure sensitive acrylic adhesive foam tape.

This product has an extremely powerful initial tack and long-term holding capability, resists UV light, extreme temperatures & offers weather sealing abilities. BT-120RC is often used to utilize its clear-as-glass like appearance in a large range of applications.

**Adhesive:** Acrylic, Color: Clear  
**Liner:** Siliconized PE, Liner-Color: Red  
**Substrate-Carrier:** Self Stick Acrylic Foam & Adhesive Layer

### BT-140RC | High Bond Tape 40 mil

**Applications:** Absorbing, Air, Moisture, Light & Dust Sealing, Hanging, High-Low Temperature Resisting, Impact Resisting, Moisture Resisting, Shock Absorbing, UV Resisting, Very High Bonding, Water Resisting, Weather Resisting, Weather Sealing

**Tags:** Double Coated, High Bond Tape, High Initial Tack

**Description:** BT-140RC is a clear (transparent) 40mil thick double sided self-stick closed cell pressure sensitive acrylic adhesive foam tape.

BT-140RC has an extremely powerful initial tack and long-term holding capability, resists UV light, extreme temperatures & offers weather sealing abilities. BT-140RC is often used to utilize its clear-as-glass like appearance in a large range of applications.

**Adhesive:** Acrylic, Color: Clear  
**Liner:** Siliconized PE, Liner-Color: Red  
**Substrate-Carrier:** Self Stick Acrylic Foam & Adhesive Layer

### BT-9778 | High Bond Tape 20 mil

**Applications:** ABS Plastic Mounting, Absorbing, Air, Moisture, Light & Dust Sealing, Assembling, Attaching, Bonding, Construction Bonding, Display Mounting, Fastening, Hanging, High Movement Joint Sealing, High Temperature Resisting, Impact Resisting, Installing, Joining, Laminating, Mounting, Seaming, Securing, Shock Absorbing, Stress Dissipating, Very High Bonding, Water Resisting, Weather Resisting, Weather Sealing

**Tags:** Double Coated, High Adhesion, High Bond Tape, Mounting

**Description:** BT-9778 is a double-sided acrylic foam tape, available in gray or white. It consists of a high performance acrylic system, and is identified by its bonding power, stress dissipation and its temperature resistance.

**Adhesive:** Pure Acrylic, Color: Gray, White  
**Liner:** Polyethylene, Liner-Color: Blue  
**Market:** Construction Bonding, Decorative Panels, Furniture Mounting  
**Substrate-Carrier:** Foamed Acrylic

### BT-9771 | High Bond Tape 40 mil

**Applications:** ABS Plastic Mounting, Absorbing, Air, Moisture, Light & Dust Sealing, Assembling, Attaching, Bonding, Construction Bonding, Display Mounting, Fastening, Hanging, High Movement Joint Sealing, High Temperature Resisting, Impact Resisting, Installing, Joining, Laminating, Moisture Resisting, Mounting, Seaming, Securing, Shock Absorbing, Stress Dissipating, Very High Bonding, Water Resisting, Weather Resisting, Weather Sealing

**Tags:** Double Coated, High Adhesion, High Bond Tape, Mounting

**Description:** BT-9771 is a double-sided acrylic foam tape, available in gray or white. It consists of a high performance acrylic system, and is identified by its bonding power, stress dissipation and its temperature resistance.

**Adhesive:** Pure Acrylic, Color: Gray, White  
**Liner:** Polyethylene, Liner-Color: Blue  
**Market:** Construction Bonding, Decorative Panels, Furniture Mounting  
**Substrate-Carrier:** Foamed Acrylic



## HIGH BOND TAPE

### BT-9773 | High Bond Tape 60 mil

**Applications:** ABS Plastic Mounting, Absorbing, Air, Moisture, Light & Dust Sealing, Assembling, Attaching, Bonding, Construction Bonding, Display Mounting, Fastening, Hanging, High Movement Joint Sealing, High Temperature Resisting, Installing, Joining, Laminating, Moisture Resisting, Mounting, Seaming, Securing, Shock Absorbing, Stress Dissipating, Very High Bonding, Water Resisting, Weather Resisting, Weather Sealing

**Tags:** Double Coated, High Adhesion, High Bond Tape, Mounting

Description: BT-9773 is an acrylic foam tape, available in gray or white. It consists of a high performance acrylic system and is primarily

characterized by its bonding power, stress dissipation characteristics, and its temperature and weather resistance.

Adhesive: Pure Acrylic  
Color: Gray, White  
Liner: Polyethylene  
Liner-Color: Blue  
Market: Construction Bonding, Decorative Panels, Furniture Mounting  
Substrate-Carrier: Foamed Acrylic

## HIGH TEMPERATURE FILM TAPES & FABRICS

### BT-193 | PTFE Film Tape 2 mil

**Applications:** Abrasion Resisting, Belting, Cable Wrapping, Chemical Resisting, Circuit Board Component Holding, Composite Bonding, Composite Mold Release, Electrical Insulating, End Turn Bundling, Engine Component Wire Harness Bundling, High Temperature Masking, High Temperature Resisting, High-Low Temperature Resisting, Holding, Inner Wrapping for Coils and Transformers, Oil Resisting, Phase Insulating, Puncture Resisting, Releasing, Sealing, Spot Bundling, Temperature Insulating, Temperature, Aging and UV Resisting, Tool Wrapping, Wire Harness Wrapping

**Tags:** High Temperature Film - PTFE Film Tape, High-Tensile Strength, Low Elongation

Description: BT-193 is a pressure sensitive tape using a skived & tensilized PTFE film that is coated with "high temperature" silicone adhesive. The tensilized film provides higher tensile strength, lower elongation and higher dielectric strength than regular skived film.

Adhesive: Silicone, Color: Natural  
Market: Composites, Electrical, Electronics  
Substrate-Carrier: PTFE Film

### BT-1144 | Performance Grade PTFE Film Tape 2 mil

**Applications:** Abrasion Resisting, Bonding, Chemical Resisting, Circuit Board Component Holding, Composite Mold Release, Electrical Insulating, End Turn Bundling, Engine Component Wire Harness Bundling, Fastening, Heat Sealing, High Temperature Masking, High Temperature Resisting, High-Low Temperature Resisting, Holding, Inner Wrapping for Coils and Transformers, Insulating, Oil Resisting, Phase Insulating, Puncture Resisting, Releasing, Spot Bundling, Temperature, Aging and UV Resisting, Temporary Holding, Tool Wrapping, Wire Harness Wrapping

**Tags:** Anti-Stick, Chemically Inert, Durable, High Dielectric Strength, High Modulus, High Temperature Film - PTFE Film Tape, High-Tensile Strength, Low Elongation, Low Friction, Non Toxic

Description: BT-1144 is manufactured from modified high-modulus PTFE (polytetrafluoroethylene) film coated with high-temperature silicone adhesive.

Adhesive: Silicone, Color: Natural  
Market: Electronics, Insulation  
Substrate: Modified High-Modulus PTFE film

## HIGH TEMPERATURE FILM TAPES & FABRICS

### BT-692 | Polyimide Tape 1 mil

**Applications:** Circuit Board Component Holding, Composite Bonding, Electrical Insulating, Flash-breaking, Gold Finger Protecting, High Temperature Masking, High Temperature Resisting, High Temperature Splicing, High-Low Temperature Resisting, Inner Wrapping for Coils and Transformers, Insulating, Masking, Oil Resisting, PCB Masking, Plating Masking, Powder Coat Masking, Protecting, Splicing, Tabbings, Temperature, Aging and UV Resisting, Temporary Holding, Temporary Surface Protecting, Wave Solder Masking

**Tags:** Clean Removal, High Temperature Film - Polyimide Tape, Low Outgassing

Description: BT-692 tape is a 1 mil polyimide film backing coated with a high-performance silicone adhesive designed for clean removal and low outgassing.

Adhesive: Silicone  
Color: Amber  
Market: Electronics  
Substrate-Carrier: Polyimide

### BT-1234 | Performance Grade Polyimide Tape 1 mil

**Applications:** Circuit Board Component Holding, Composite Bonding, Electrical Insulating, Flash-breaking, Gold Finger Protecting, High Temperature Masking, High Temperature Resisting, High Temperature Splicing, High-Low Temperature Resisting, Holding, Inner Wrapping for Coils and Transformers, Insulating, Oil Resisting, PCB Masking, Powder Coat Masking, Splicing, Tabbings, Temperature, Aging and UV Resisting, Temporary Holding, Temporary Surface Protecting, Wave Solder Masking, Wrapping

**Tags:** High Temperature Adhesive, High Temperature Film - Polyimide Tape

Description: BT-1234 is a pressure sensitive adhesive tape manufactured from polyimide film with high-temperature adhesive.

Adhesive: Silicone, App: Wave Solder Applications  
Approved-Specifications: Meets the Underwriters Laboratories, Inc. Guide File 66639 with a 180° C temperature rating and complies with UL 510 for flame retardance  
Color: Amber, Substrate-Carrier: Polyimide Film

### BT-792 | Blue Plating Tape 1 mil

**Applications:** Chemical Resisting, Circuit Board Component Holding, Composite Bonding, Composite Mold Release, Electroplating Masking, Foam Fabricating, Gasketing, High Speed Flying Splicing, High Temperature Resisting, High Temperature Splicing, Inner Wrapping for Coils and Transformers, Oil Resisting, PCB Masking, Plating Masking, Plating Solution Undercutting Preventing, Releasing, Splice Detecting, Splicing, Tabbings, Temporary Holding, Wave Solder Masking

**Tags:** Clean Removal, High Temperature Film - Polyester Tape, Multiple Operating Cycles

Description: BT-792 is used in combination with a pre-applied protective solder mask and provides full protection to the exposed holes in the board. This is applied at the plating line by either automated equipment or by hand, and serves as a fail safe line of demarcation at the connector tabs.

Adhesive: Silicone, Color: Blue  
Market: Electronic Assembly and Fabrication  
Substrate-Carrier: Polyester

### BT-1844 | Green Polyester Tape, Non-Silicone 2 mil

**Applications:** Chemical Resisting, Circuit Board Component Holding, Composite Bonding, Composite Mold Release, Fiberglass Masking, Flashbreaking, High Temperature Masking, High Temperature Resisting, High-Low Temperature Resisting, Masking, Splice Detecting, Temperature, Aging and UV Resisting, Temporary Holding

Description: BT-1844 is a 2 mil polyester film tape with a high temperature-resistant rubber-based pressure sensitive adhesive.

**Tags:** Abrasion Resistant, Ease of Use, High Performance, High Temperature Film - Polyester Tape, Low or No Residue, Non Silicone

Adhesive: High Temperature Rubber  
App: Autoclave Flashbreaking  
Color: Green  
Market: Composites  
Substrate: Polyester



## HIGH TEMPERATURE FILM TAPES & FABRICS

### BT-1944 | Green Polyester Tape, Non-Silicone 1 mil

**Applications:** Chemical Resisting, Circuit Board Component Holding, Composite Bonding, Composite Mold Release, Fiberglass Masking, Flashbreaking, High Temperature Masking, High Temperature Resisting, High-Low Temperature Resisting, Masking, Splice Detecting, Temperature, Aging and UV Resisting, Temporary Holding

**Tags:** Abrasion Resistant, Ease of Use, High Performance, High Temperature Film - Polyester Tape, Leaves no Residue, Silicone-Free

**Description:** BT-1944 is a 1 mil polyester film tape with a high temperature-resistant rubber-based pressure sensitive adhesive.

**Adhesive:** High Temperature Rubber  
**App:** Autoclave Flashbreaking  
**Color:** Green  
**Market:** Composites  
**Substrate:** Polyester

### BT-7880 | Blue Polyester Film Tape 1 mil

**Applications:** Abrasion Resisting, Bag Sealing, Chemical Resisting, Circuit Board Component Holding, Color Coding, Composite Bonding, Composite Mold Release, Detecting, Fiberglass Masking, Flashbreaking, High Temperature Masking, High Temperature Resisting, High Temperature Splicing, High-Low Temperature Resisting, Identifying, Inner Wrapping for Coils and Transformers, Insulating, Labeling, Locating, Marking, Masking, Metal Parts Protecting, Oil Resisting, Part Marking, PCB Masking, Plating Masking, Positioning, Powder Coat Masking, Protecting, Puncture Resisting, Releasing, Splice Detecting, Splicing, Tabbing, Temperature, Aging and UV Resisting, Temporary Holding, Temporary Surface Protecting, Thermal Insulating, Wave Solder Masking, Wire Identifying

**Tags:** Clean Removal, Conformable, Die Cuts, Flexible, High Temperature Film - Polyester Tape, Sharp Paint Line

**Description:** BT-7880 is a blue polyester tape with a silicone adhesive. It can be used in a large variety of high temperature applications including powder coat masking, flash breaker, and bag sealing applications. Additional applications include splicing, tabbing or roll closing silicone treated liners or materials. A lined version is available for die cuts.

**Adhesive:** Silicone, Color: Blue  
**Liner:** Fluorosilicone, Liner-Color: Clear  
**Market:** Composites, MRO  
**Substrate:** Polyester

### BT-7881 | Green Polyester Film Tape 2 mil

**Applications:** Abrasion Resisting, Bag Sealing, Chemical Resisting, Circuit Board Component Holding, Color Coding, Composite Bonding, Composite Mold Release, Fiberglass Masking, Flashbreaking, High Temperature Masking, High Temperature Resisting, High Temperature Splicing, High-Low Temperature Resisting, Identifying, Inner Wrapping for Coils and Transformers, Insulating, Labeling, Marking, Masking, Metal Parts Protecting, Oil Resisting, Part Marking, Plating Masking, Positioning, Powder Coat Masking, Protecting, Releasing, Splice Detecting, Splicing, Tabbing, Temperature, Aging and UV Resisting, Temporary Holding, Temporary Surface Protecting, Thermal Insulating, Wave Solder Masking, Wire Identifying

**Tags:** Clean Removal, Die Cuts, High Temperature Film - Polyester Tape, Sharp Paint Line

**Description:** BT-7881 is a dark green polyester tape with a silicone adhesive. It can be used in a large variety of high temperature applications including powder coat masking, flash breaker, and bag sealing applications. Additional applications include splicing, tabbing or roll closing silicone treated liners or materials.

**Adhesive:** Silicone, Color: Dark Green  
**Liner:** Fluorosilicone, Liner-Color: Clear  
**Market:** Composites, MRO  
**Substrate:** Polyester

## MASKING TAPE

### BT-54 | Construction Grade Blue Masking Tape

**Applications:** Abating & Restoring, Draping, Indoor/Outdoor Masking, Interior Masking, Interior Window Masking, Marble & Granite Masking, Masking, Outdoor Painting Masking, Paint Lifting and Seepage Preventing, Paint Masking, Place Marking, Positioning, Releasing, Spray Paint Masking, Tabbing, Temporary Dust and Work Enclosure Mounting, UV Blocking, UV Resisting, Window and Door Masking

**Tags:** 14 Day Clean Removal, Indoor and Outdoor Use, Masking Tape - UV Resisting, Medium Adhesion

**Description:** BT-54 is a premium multi-surface painter's tape.

**Adhesive:** Synthetic Rubber-Based  
**Color:** Blue  
**Market:** Paint

### BT-1018 | Construction Grade Masking Tape

**Applications:** Abating & Restoring, Bundling, Containment, Draping, Fiberglass Masking, General Purpose Masking, High Temperature Masking, Installing, Interior Masking, Interior Window Masking, Light Packaging, Marble & Granite Masking, Masking, Oil Resisting, Paint Lifting and Seepage Preventing, Paint Masking, Solvent Resisting, Splicing, Spray Paint Masking, Tabbing, Temperature, Aging and UV Resisting, Temporary Dust and Work Enclosure Mounting, Water Resisting, Water, Solvent and Oil Resisting, Window and Door Masking

**Description:** BT-1018 is a yellow (natural) crepe paper masking tape coated with pressure-sensitive natural rubber adhesive. Capable of withstanding bake temperatures up to 230° F (110° C) for up to one hour and/or exposure to ultra-violet (UV) light for up to five hours. Offers consistent conformability and tensile strength for general purpose bundling, protecting and various industrial applications.

**Adhesive:** Solvent-Based Natural Rubber  
**Color:** Natural  
**Market:** Boat Manufacturing (fiberglass), Silk Screening, Mail Rooms, Marble Manufacturing (man-made), Golf Club Shaft (build-up)  
**Substrate-Carrier:** Crepe Paper

**Tags:** Conformable, Easy Unwind, High Adhesion, High Initial Tack, High-Tensile Strength, Masking Tape - Multi-Purpose

### BT-190 | Utility Grade Blue Masking Tape

**Applications:** Abating & Restoring, Color Coding, Containment, Draping, Indoor/Outdoor Masking, Interior Masking, Labeling, Marble & Granite Masking, Marking, Masking, Outdoor Painting Masking, Paint Lifting and Seepage Preventing, Part Marking, Place Marking, Positioning, Reflecting, Spray Paint Masking, Tabbing, Temporary Dust and Work Enclosure Mounting, UV Resisting, Window and Door Masking

**Tags:** Clean Removal 14 Days, Masking Tape – UV Resisting

**Description:** BT-190 is a blue masking tape used in outdoor painting applications.

**Adhesive:** Solvent-Based Natural Rubber  
**Color:** Blue  
**Market:** Paint  
**Substrate-Carrier:** Crepe Paper

### BT-208 | Utility Grade Masking Tape

**Applications:** Bundling, General Purpose Masking, Interior Masking, Labeling, Masking, Packaging, Splicing, Temporary Holding

**Adhesive:** Solvent-Based Natural Rubber  
**Color:** Natural  
**Substrate:** Crepe Paper

**Tags:** Economy Grade, Masking Tape – Multi-Purpose

**Description:** BT-208 is an economy grade general purpose masking tape that can be used for packaging, bundling, holding, splicing, masking and labeling for home and school industry.



## MASKING TAPE

### BT-7971 | Performance Grade Fineline Masking Tape

**Applications:** Fiberglass Masking, Fineline Paint Masking, High Temperature Masking, High Temperature Resisting, Masking, Paint Bleed-Through Resisting, Paint Flake Resisting, Paint Lifting and Seepage Preventing, Paint Masking, Protecting, Scratch Resisting, Surface Protecting, Temperature, Aging and UV Resisting, Temporary Surface Protecting, UV Resisting

**Tags:** Clean Removal, Conformable, Flexible, Masking Tape - Fineline, No edge lifting, No shrinking at high temp

Description: BT-7971 is a flexible soft PVC tape with a natural rubber adhesive for fine line masking where a very sharp paint edge is required, especially on painted or unpainted plastic parts and for multi-color painting.

Adhesive: Natural Rubber  
Color: Gold  
Substrate: PVC Film

### BT-290 | Premium Blue Masking Tape

**Applications:** Abating & Restoring, Containment, Draping, Fiberglass Masking, Fineline Paint Masking, Fingertip Abrasion Resisting, Humidity Resisting, Indoor/Outdoor Masking, Interior Masking, Interior Window Masking, Marble & Granite Masking, Marking, Masking, Outdoor Painting Masking, Paint Lifting and Seepage Preventing, Part Marking, Place Marking, Positioning, Releasing, Spray Paint Masking, Stain Resisting, Tapping, Temporary Dust and Work Enclosure Mounting, Temporary Surface Protecting, UV Blocking, UV Resisting, Window and Door Masking

**Tags:** Clean Removal, Conformable, Easy Unwind, Masking Tape - UV Resisting, Smooth Backing, Superior Paint Lines

Description: BT-290 is a paper-backed pressure sensitive tape with a specially formulated adhesive designed for exposure to sunlight up to (14) days, exhibiting clean and easy removal from most surfaces.

Adhesive: Synthetic Rubber  
Color: Blue  
Market: Construction & Building, Paint  
Substrate: Fine Structured Crepe Paper

### BT-408 | Premium Masking Tape

**Applications:** Abating & Restoring, General Purpose Masking, High Temperature Masking, Installing, Interior Masking, Interior Window Masking, Marble & Granite Masking, Masking, Oil Resisting, Paint Lifting and Seepage Preventing, Paint Masking, Spray Paint Masking, Temperature, Aging and UV Resisting, Temporary Dust and Work Enclosure Mounting, Water Resisting, Water, Solvent and Oil Resisting

**Tags:** Conformable, Easy Unwind, Flexible, High Initial Tack, High-Tensile Strength, Masking Tape - Multi-Purpose, Premium Grade

Description: BT-408 is a premium grade crepe paper masking tape for general purpose use. It has a natural colored crepe paper backing with a rubber-based adhesive and comes in a variety of sizes.

Adhesive: Rubber-Based  
Color: Natural  
Market: Industrial & Automotive Paint  
Substrate: Crepe Paper

### BT-611 | Premium High Temperature Masking Tape

**Applications:** Chemical Resisting, Fiberglass Masking, Fineline Paint Masking, High Temperature Masking, High Temperature Resisting, High-Low Temperature Resisting, Masking, Paint Bleed-Through Resisting, Paint Masking, Powder Coat Masking, Solvent Resisting, Spray Paint Masking, Temperature, Aging and UV Resisting

**Tags:** Clean Removal, Conformable, High Initial Tack, Masking Tape - Performance Grade, Sharp Paint Line

Description: BT-611 is a specialty high temperature tan colored crepe paper masking tape for critical paint masking applications in the automotive, specialty vehicle, and industrial markets where excellent holding and high temperature performance are required.

Adhesive: Rubber  
Color: Natural  
Market: Automotive, Specialty Vehicle, Industrial  
Substrate: Heat-Resistant Smooth Crepe Paper

## MASKING TAPE

### BT-1517 | General Purpose Flatback Paper Carton Sealing Tape

**Applications:** Carpet Installing, Carton Sealing, Medium Duty Packaging, Packaging, Sealing, Shipping, Splicing, Tapping

**Tags:** Good Tensile Strength, Masking Tape - Flatback Masking

Description: BT-1517 is a flatback paper tape with good tensile strength. It is an excellent choice for sealing carton boxes.

Adhesive: Rubber - Resin  
Color: Kraft  
Compliance: Complies with the Federal Food, Drug and Cosmetic Act that covers the use of pressure-sensitive adhesives and tapes for "indirect contact" food packaging such as box sealing.  
Substrate-Carrier: Flatback Paper

### BT-7061 | Killer Bee® Premium Outdoor Masking Tape

**Applications:** Abating & Restoring, Color Coding, Fineline Paint Masking, Fingertip Abrasion Resisting, Indoor/Outdoor Masking, Interior Masking, Interior Window Masking, Labeling, Marble & Granite Masking, Marking, Masking, Metal Parts Protecting, Moisture Resisting, Outdoor Painting Masking, Paint Bleed-Through Resisting, Paint Flake Resisting, Paint Lifting and Seepage Preventing, Paint Masking, Part Marking, Positioning, Powder Coat Masking, Preventing, Protecting, Releasing, Solvent Resisting, Spray Paint Masking, Surface Protecting, Tapping, Temporary Dust and Work Enclosure Mounting, Temporary Surface Protecting, UV Blocking, UV Resisting, Water Resisting, Water Soak Resisting, Window and Door Masking, Wire Identifying

**Tags:** Clean Removal, Conformable, Hand Tearable, Masking Tape - UV Resisting, Sharp Paint Line, Specialty Adhesive

Description: BT-7061 Killer Bee® Premium Outdoor Masking Tape consists of an extra-thin and strong paper backing coated with an acrylic adhesive. The combination of the highly equipped backing material and the outstanding special adhesive formulation allows easy removability up to five months after application, with 4 weeks of UV resistance. This enables multiple working processes in only one covering process.

Adhesive: Acrylic  
Color: Yellow  
Market: Paint  
Substrate: Flat Paper

### BT-708 | High Temperature Masking Tape

**Applications:** Chemical Resisting, Fiberglass Masking, High Temperature Masking, High Temperature Resisting, High-Low Temperature Resisting, Interior Masking, Masking, Paint Bleed-Through Resisting, Paint Flake Resisting, Paint Masking, Powder Coat Masking, Solvent Resisting, Spray Paint Masking, Stain Resisting, Tear Resisting, Temperature, Aging and UV Resisting

**Tags:** Clean Removal, Controlled Unwind, Ease of Use, Exceptional Cornering, Flexible, High Temperature, High-Strength, Highly Conformable, Indoor Use, Masking Tape - Performance Grade, Sharp Paint Line

Description: BT-708 is a high temperature pressure-sensitive masking tape designed for

clean removal from a variety of surfaces after exposure to oven temperatures up to 325° F for 30 minutes. (Times and temperatures are determined by surface.) Not recommended for outdoor use. BT-708 performs well in strip applications. Its easy handling, smooth crepe backing exhibits high strength, excellent conformability to irregular surfaces, and exceptional cornering. Provides resistance to paint flaking and a clean, well defined paint line.

Adhesive: Rubber/Resin  
Color: Natural  
Substrate: Fine Structured Crepe Paper

# Killer Bee®

## Professional Painter's Tape

BT-7061

## What is Washi?

Hey, it's worth the time it takes to google *Washi Paper* to understand the properties of this unique backing material.

The washi, plus a proprietary acrylic adhesive, constitute this superior Bron masking tape designed specifically for professional painters.

- Hand Tearable
- Razor-Sharp Lines
- Conformable
- Sticks to Most Surfaces
- UV & Water Resistant
- Works with Water-Based Paints and Lacquers
- One Month Clean Removal – Outdoor Use



### Bron Tapes

875 W. Ellsworth Ave  
Denver, CO 80223

**1-888-877-2766 (BRON)**  
service@brontapes.com  
brontapes.com



PRODUCT CATALOG  
2020

[Back to Table of Contents >](#)

## POLYETHYLENE TAPE

### BT-4010 | Industrial Grade Polyethylene Tape

**Applications:** Abating & Restoring, Bag Sealing, Bundling, Closing, Hanging, Humidity Resisting, Indoor/Outdoor Masking, Patching, PE Sheeting Sealing, Polyethylene Splicing, Scratch Resisting, Seaming, Shrink Wrap Seaming, Shrink Wrapping, Splicing, Surface Protecting, Temporary Surface Protecting, Vinyl Seat Repairing, Waterproof Sealing, Weather Resisting, Weather Sealing, Weatherproofing, Window and Door Masking, Wrapping

**Tags:** Aggressive Adhesive, Conformable, Durable, Excellent Bond Strength, Hand Tearable, High Tack, Polyethylene Tape, Repositionable

Description: BT-4010 is a conformable, polyethylene film, single coated with a synthetic rubber pressure sensitive adhesive. This tape, when ordered as BT-4010P, is provided with a pinked edge to facilitate easy tear by hand.

Adhesive: Rubber  
Color: Red, White  
Market: Trade Show, Abatement & Restoration, Construction & Remodeling  
Substrate: PE Film  
Total-Thickness: 7.5 mils

### BT-4010P | Industrial Grade Polyethylene Tape – Pinked Edge

**Applications:** Abating & Restoring, Bag Sealing, Bundling, Closing, Hanging, Humidity Resisting, Indoor/Outdoor Masking, Patching, PE Sheeting Sealing, Polyethylene Splicing, Scratch Resisting, Seaming, Shrink Wrap Seaming, Shrink Wrapping, Splicing, Surface Protecting, Temporary Surface Protecting, Vinyl Seat Repairing, Waterproof Sealing, Weather Resisting, Weather Sealing, Weatherproofing, Window and Door Masking, Wrapping

**Tags:** Aggressive Adhesive, Conformable, Durable, Excellent Bond Strength, Hand Tearable, High Tack, Polyethylene Tape, Repositionable

Description: BT-4010P is a conformable, polyethylene film, single coated with a synthetic rubber pressure sensitive adhesive. BT-4010P is provided with a pinked edge to facilitate easy tear by hand.

Adhesive: Rubber  
Color: Red, White  
Market: Trade Show, Abatement & Restoration, Construction & Remodeling  
Substrate: PE Film  
Total-Thickness: 7.5 mils

### BT-4011 | Premium Outdoor Polyethylene Tape

**Applications:** Abrasion Resisting, Agricultural Bagging, Bagging, Bundling, Greenhouse Repairing, Humidity Resisting, Masking, PE Sheeting Sealing, Polyethylene Splicing, Releasing, Repairing, Scratch Resisting, Shrink Wrap Seaming, Shrink Wrapping, Splicing, Surface Protecting, UV Blocking, UV Resisting, Water Resisting, Waterproof Sealing, Weather Resisting, Weather Sealing, Weatherproofing, Window and Door Masking, Wrapping

**Tags:** Conformable, Durable, Excellent Bond Strength, Hand Tearable, High Tack, Polyethylene Tape, Repositionable, Water Tight Seal

Description: BT-4011 is a premium heavy-duty polyethylene film, single coated with a synthetic rubber pressure sensitive adhesive. This tape, when ordered as BT-4011P, is provided with a pinked edge to facilitate easy tear by hand.

Adhesive: Synthetic Rubber  
Color: Red, White  
Market: Agriculture, Marine, Storage  
Substrate-Carrier: Polyethylene Film

### BT-4011P | Premium Outdoor Polyethylene Tape – Pinked Edge

**Applications:** Abrasion Resisting, Agricultural Bagging, Bagging, Bundling, Greenhouse Repairing, Humidity Resisting, Masking, PE Sheeting Sealing, Polyethylene Splicing, Releasing, Repairing, Scratch Resisting, Shrink Wrap Seaming, Shrink Wrapping, Splicing, Surface Protecting, UV Blocking, UV Resisting, Water Resisting, Waterproof Sealing, Weather Resisting, Weather Sealing, Weatherproofing, Window and Door Masking, Wrapping

**Tags:** Conformable, Durable, Excellent Bond Strength, Hand Tearable, High Tack, Polyethylene Tape, Repositionable, Water Tight Seal

Description: BT-4011P is a premium heavy-duty polyethylene film, single coated with a synthetic rubber pressure sensitive adhesive. BT-4011P is provided with a pinked edge to facilitate easy tear by hand.

Adhesive: Synthetic Rubber  
Color: Red, White  
Market: Agriculture, Marine, Storage  
Substrate-Carrier: Polyethylene Film



## POLYETHYLENE TAPE

### BT-4014 | Utility Grade Polyethylene Tape

**Applications:** Bundling, Closing, Color Coding, Hanging, Holding, Humidity Resisting, Identifying, Indoor/Outdoor Masking, Labeling, Marking, Part Marking, Patching, Polyethylene Splicing, Seaming, Shrink Wrap Seaming, Shrink Wrapping, Surface Protecting, Temporary Bonding, Vinyl Seat Repairing, Wire Identifying

**Tags:** Conformable, Ease of Use, Excellent Low-Temp Bonding, Hand Tearable, Permanently Tacky Adhesive, Polyethylene Tape, Watertight Seal

**Description:** BT-4014 is a heavy-duty polyethylene tape, single coated with a synthetic rubber adhesive. This tape, when ordered as BT-4014P, is provided with a pinked edge to facilitate easy tear by hand.

**Adhesive:** Synthetic Rubber  
**Color:** Red, White  
**Substrate:** PE Film  
**Total-Thickness:** 7 mils

### BT-4014P | Utility Grade Polyethylene Tape – Pinked Edge

**Applications:** Bundling, Closing, Color Coding, Hanging, Holding, Humidity Resisting, Identifying, Indoor/Outdoor Masking, Labeling, Marking, Part Marking, Patching, Polyethylene Splicing, Seaming, Shrink Wrap Seaming, Shrink Wrapping, Surface Protecting, Temporary Bonding, Vinyl Seat Repairing, Wire Identifying

**Tags:** Conformable, Ease of Use, Excellent Low-Temp Bonding, Hand Tearable, Permanently Tacky Adhesive, Polyethylene Tape, Watertight Seal

**Description:** BT-4014P is a heavy-duty polyethylene tape, single coated with a synthetic rubber adhesive. BT-4014P is provided with a pinked edge to facilitate easy tear by hand.

**Adhesive:** Synthetic Rubber  
**Color:** Red, White  
**Substrate:** PE Film  
**Total-Thickness:** 7 mils

### BT-4016 | Premium Grade Polyethylene Tape

**Applications:** Abrasion Resisting, Agricultural Bagging, Bagging, Bonding, Bundling, Closing, Construction Bonding, General Repairing, Greenhouse Repairing, Hanging, Holding, Humidity Resisting, Indoor/Outdoor Masking, Installing, Patching, PE Sheeting Sealing, Place Marking, Polyethylene Splicing, Releasing, Repairing, Scratch Resisting, Securing, Shrink Wrap Seaming, Shrink Wrapping, Surface Protecting, UV Blocking, UV Resisting, Vapor Sealing, Water Resisting, Waterproof Sealing, Weather Sealing, Weatherproofing, Window and Door Masking, Wire Identifying, Wrapping

**Tags:** Conformable, Initially Repositionable, Polyethylene Tape

**Description:** BT-4016 is a heavy-duty, polyethylene film, single coated with a synthetic rubber pressure sensitive adhesive. This tape, when ordered as BT-4016P, is provided with a pinked edge to facilitate easy tear by hand.

**Adhesive:** Synthetic Rubber  
**Color:** Red, White  
**Substrate:** PE Film

### BT-4016P | Premium Grade Polyethylene Tape – Pinked Edge

**Applications:** Abrasion Resisting, Agricultural Bagging, Bagging, Bonding, Bundling, Closing, Construction Bonding, General Repairing, Greenhouse Repairing, Hanging, Holding, Humidity Resisting, Indoor/Outdoor Masking, Installing, Patching, PE Sheeting Sealing, Place Marking, Polyethylene Splicing, Releasing, Repairing, Scratch Resisting, Securing, Shrink Wrap Seaming, Shrink Wrapping, Surface Protecting, UV Blocking, UV Resisting, Vapor Sealing, Water Resisting, Waterproof Sealing, Weather Sealing, Weatherproofing, Window and Door Masking, Wire Identifying, Wrapping

**Tags:** Conformable, Initially Repositionable, Polyethylene Tape

**Description:** BT-4016P is a heavy-duty, polyethylene film, single coated with a synthetic rubber pressure sensitive adhesive. BT-4016P is provided with a pinked edge to facilitate easy tear by hand.

**Adhesive:** Synthetic Rubber  
**Color:** Red, White  
**Substrate:** PE Film

## POLYETHYLENE TAPE

### BT-4028 | Construction Grade Polyethylene Tape

**Applications:** Agricultural Bagging, Bag Sealing, Bundling, Greenhouse Repairing, Humidity Resisting, Masking, Patching, PE Sheeting Sealing, Polyethylene Splicing, Releasing, Scratch Resisting, Seaming, Shrink Wrap Seaming, Shrink Wrapping, Splicing, UV Blocking, UV Resisting, Waterproof Sealing, Weather Resisting, Weather Sealing, Weatherproofing, Window and Door Masking, Wrapping

**Tags:** Conformable, Durable, Excellent Bond Strength, High Tack, Polyethylene Tape, Repositionable, Water Tight Seal

**Description:** BT-4028 is a conformable, polyethylene film, single coated with a synthetic rubber pressure sensitive adhesive. This tape, when ordered as BT-4028P, is provided with a pinked edge to facilitate easy tear by hand.

**Adhesive:** Synthetic Rubber  
**Color:** Red, White  
**Market:** Agriculture, Stucco/Construction  
**Substrate-Carrier:** PE Film

### BT-4028P | Construction Grade Polyethylene Tape – Pinked Edge

**Applications:** Agricultural Bagging, Bag Sealing, Bundling, Greenhouse Repairing, Humidity Resisting, Masking, Patching, PE Sheeting Sealing, Polyethylene Splicing, Releasing, Scratch Resisting, Seaming, Shrink Wrap Seaming, Shrink Wrapping, Splicing, UV Blocking, UV Resisting, Waterproof Sealing, Weather Resisting, Weather Sealing, Weatherproofing, Window and Door Masking, Wrapping

**Tags:** Conformable, Durable, Excellent Bond Strength, High Tack, Polyethylene Tape, Repositionable, Water Tight Seal

**Description:** BT-4028P is a conformable, polyethylene film, single coated with a synthetic rubber pressure sensitive adhesive. BT-4028P is provided with a pinked edge to facilitate easy tear by hand.

**Adhesive:** Synthetic Rubber  
**Color:** Red, White  
**Market:** Agriculture, Stucco/Construction  
**Substrate-Carrier:** PE Film

## PROTECTIVE FILM

**BT-305CL | Counter Top / Marble Protection Tape**

**Applications:** Forming and Fabricating Surface Protecting, Interior Masking, Marble & Granite Masking, Metal Parts Protecting, Scratch Resisting, Surface Protecting, Temporary Surface Protecting

**Tags:** Medium Tack, Protective Film - Countertop Protection, Self-Wound

Description: BT-305-CL is a medium tack protective masking tape for use in interior

applications. The product consists of a low-density polyethylene self-wound film, coated with a custom formulated water based acrylic adhesive.

Adhesive: Acrylic  
Color: Clear  
Substrate-Carrier: LDPE

**BT-450CL | Multi-Purpose Carpet Protection Film Tape**

**Applications:** Abating & Restoring, Protecting, Surface Protecting, Temporary Dust and Work Enclosure Mounting, Temporary Surface Protecting

**Tags:** High Tack, Protective Film - Carpet Mask, Self-Wound

Description: BT-450CL is a high tack masking tape for use in interior carpet surface protection. The product consists of a blended low density polyethylene self-wound film, coated with a custom

formulated water-based acrylic adhesive with a soft release.

Adhesive: Water-based acrylic  
Color: Clear  
Substrate-Carrier: Blended Low Density Polyethylene

**BT-1664 | Premium Transfer Tape – High Tack**

**Applications:** Metal Parts Protecting, Protecting, Surface Protecting, Temporary Surface Protecting, Twist and Curl Resisting

**Tags:** Ease of Use, High Adhesion, High Tack, No Curl, Protective Film - Transfer Paper

Description: BT-1664 is a high tack paper application tape for surface protection. This product consists of a self-wound, standard grade saturated backing coated with a specially formulated latex pressure sensitive adhesive.

Adhesive: Water-Based Natural Latex  
Color: Natural  
Substrate: White, Translucent Latex-Saturated Paper

**BT-3273 | Multi-Purpose Window Film Tape**

**Applications:** Indoor/Outdoor Masking, Marble & Granite Masking, Outdoor Painting Masking, Protecting, Surface Protecting, Temporary Surface Protecting, UV Resisting, Window and Door Masking

**Tags:** Clean Removal, Protective Film - Window Film

Description: BT-3273 is a temporary protective mask designed for outdoor and indoor use. It adheres to window glass, vinyl, plastics, and metal.

The film contains a UVI additive that ensures clean removal of the tape after prolonged exposure to sunlight.

Color: Clear, Blue  
Market: Construction & Building



## PROTECTIVE FILM

**BT-7777 | Premium Window Film Tape**

**Applications:** Indoor/Outdoor Masking, Marble & Granite Masking, Metal Parts Protecting, Paint Masking, Protecting, Scratch Resisting, Surface Protecting, Temporary Surface Protecting, UV Resisting, Window and Door Masking

**Tags:** Clean Removal, Protective Film - Window Film, Semi-smooth Surfaces

Description: BT-7777 is a temporary protective mask designed for use on semi-smooth

surfaces. The film contains a 60 day UVI additive that ensures clean removal of the tape after prolonged exposure to sunlight.

Adhesive: Acrylic  
Color: Clear, Blue

**BT-951 | High Strength Protective Film Tape**

**Applications:** Metal Parts Protecting, Paint Masking, Scratch Resisting, Surface Protecting, Temporary Surface Protecting

**Tags:** Clean Removal - Long Term, Die Cuts, Lined, Protective Film - Specialty Film, Quick initial bond, Stiff backing

Description: BT-951 is a used in applications requiring a heavy backed removable protective film that does not leave residue after long attachment time.

Adhesive: Crosslinked Elastomer  
Color: Clear  
Liner: Natural Staflat  
Liner-color: Brown  
Substrate-Carrier: Polyester

**BT-6779 | Multi-Purpose Protective Film Tape**

**Applications:** Forming and Fabricating Surface Protecting, Interior Masking, Metal Parts Protecting, Protecting, Stainless Steel Masking, Surface Protecting, Temporary Surface Protecting, Window and Door Masking

**Tags:** High Performance, Medium Tack, Protective Film - Transfer Paper

Description: BT-6779 is a medium tack, high performance protective masking tape for use in interior applications. The product consists of a

self-wound black & white co-extruded polyethylene film coated with a custom formulated water based acrylic adhesive.

Adhesive: Water-based acrylic  
Color: Black / White  
Substrate-Carrier: Co-extruded Polyethylene Film

**BT-6780 | Multi-Purpose Protective Film Tape**

**Applications:** Assembling, Masking, Storing, Surface Protecting, Transporting

**Tag:** Protective Film - Multi-Purpose

Description: BT-6780 protective film is used for the protection of surface finishes from dirt, scratches and tool marks during handling, transport and storage, forming and assembly.

Adhesive: Acrylic  
Color: Clear, Blue  
Substrate-Carrier: Polyethylene Film



## PROTECTIVE FILM

### BT-9411 | Crash Wrap Protective Film Tape

**Applications:** Indoor/Outdoor Masking, Protecting, Surface Protecting, Temporary Surface Protecting, UV Resisting

**Tags:** Protective Film - Specialty Film, Self-Wound

Description: BT-9411 protective film is used for the protection of surface finishes from dirt, scratches and tool marks during handling, transport and storage, forming and assembly.

Adhesive: Acrylic  
Color: Black / White  
Market: Transport and Storage, Forming and Assembly  
Substrate-Carrier: Polyolefin

### BT-9700 | Duct Protection Film Tape

**Applications:** Duct Sealing, Fiberglass Masking, Metal Parts Protecting, Protecting, Surface Protecting, Temporary Surface Protecting

**Tags:** Clean Removal, Protective Film - Duct Protection, Textured Metal Masking

Description: BT-9700 is a temporary protective mask designed for use on textured and rough surfaces. It is excellent for protection of plastics, textured metals, fiberglass and similar surfaces. It is also used as duct protection film and meets

SMACNA guidelines. BT-9700 is available in clear and blue LDPE film with an acrylic adhesive system that allows for clean removal with minimal adhesion build up.

Adhesive: Acrylic  
Color: Clear, Blue  
Meets-Specifications: Meets SMACNA guidelines  
Substrate-Carrier: LDPE

### BT-40025 | Performance Grade Protective Film Tape

**Applications:** Indoor/Outdoor Masking, Metal Parts Protecting, Paint Masking, Protecting, Puncture Resisting, Scratch Resisting, Surface Protecting, Temporary Surface Protecting, Unitizing, Window and Door Masking

**Tags:** Contrast to Dark Surfaces, Flame Retardant, Power Wash Resistant, Protective Film - Performance Grade

Description: BT-40025 is a self-adhesive polyethylene tape with an acrylic adhesive for

masking large areas of plastic parts during professional painting processes. The color of the tape provides a good contrast to dark surfaces making the positioning easier and faster.

Adhesive: Acrylic  
Color: Green  
Market: Paint  
Substrate: Polyethylene Film

### BT-67377 | Multi-Purpose Black / White Protective Film Tape

**Applications:** Forming and Fabricating Surface Protecting, Metal Parts Protecting, Protecting, Puncture Resisting, Scratch Resisting, Surface Protecting, Tear Resisting, Temporary Surface Protecting, Window and Door Masking

**Tags:** Durable, Ease of Use, High Performance, Medium Tack, Protective Film - Specialty Film, Self-Wound

Description: BT-67377 is a medium tack, high performance protective masking tape

consisting of a self-wound black and white co-extruded polyethylene film coated with a custom formulated water based acrylic adhesive. This durable film is tear and puncture resistant and is used to protect surfaces during the manufacturing and product assembly process.

Adhesive: Water-Based Acrylic  
Color: Black / White  
Market: Manufacturing and Product Assembly  
Substrate-Carrier: Polyethylene Film

## SPECIALTY TAPE

### BT-103 | Sandblast Impact Tape

**Applications:** Abrasion Resisting, Dry Paint Stripping, Grit Blast Masking, Impact Resisting, Masking, Mediablast Masking, Sandblast Masking, Shot Peen Masking, Temperature, Aging and UV Resisting

**Tags:** Clean Removal, Conformable, Flexible, High Initial Tack, Specialty - Sandblast Masking

Description: BT-103 is a heavy duty product custom engineered for protective masking of surfaces during dry paint stripping processes and extreme surface protection. The high tack acrylic adhesive provides instant adhesion to clean, dry surfaces. The soft vinyl carrier is highly flexible and conformable to irregular/curved surfaces, while

holding firmly to the production surface. Thickness throughout the roll is very consistent allowing maximum blast times. BT-103 also provides clean removal post process and use.

Adhesive: High Tack Acrylic  
Color: Light Tan  
Liner: Paper  
Liner Color: White  
Market: MRO  
Process: MediaBlast, Shot Peening  
Substrate: Vinyl

### BT-858 | Sandblast Impact Tape

**Applications:** Blast Media Intrusion (FOD) Preventing, Cracking and Lifting Resisting, Dry Paint Stripping, Masking, Preventing, Shot Peen Masking

**Tags:** Aggressive Adhesive, Clean Removal, Conformable, Durable, Hand Tearable, Quick Stick

Description: BT-858 is a durable rubber product engineered to meet requirements for protective masking of surfaces during dry paint stripping process. The aggressive, acrylic, pressure-sensitive adhesive provides instant adhesion to clean/dry surfaces with little to no hot glue required on edges to prevent media intrusion. BT-858 remains flexible and resists cracking and lifting, and conforms to irregular/curved surfaces. Its uniform thickness allows for maximum blast times,

with clean removal after blasting. The white crepe release-coated paper liner allows BT-858 to tear easily by hand and can also be cut by knife for precise fit.

Adhesive: High Tack Acrylic  
Color: Natural  
Liner: Crepe Release-Coated Paper  
Liner Color: White  
Market: MRO  
Substrate-Carrier: Rubber

### BT-1804-7 | Glass Cloth Tape 7 mil

**Applications:** Abrasion Resisting, Cable Wrapping, Electrical Insulating, Engine Component Wire Harness Bundling, High Temperature Masking, High Temperature Splicing, PCB Masking, Plasma Spray Masking, Solvent Resisting, Surface Protecting, Thermal Spray / HVOF Masking, Wire Harness Wrapping, Wrapping

**Tags:** Durable, High Temperature, Specialty - Glass Cloth Tape, Thermally Stable

Description: Heat resistant fiberglass cloth backing coated with high temperature silicone adhesive.

Adhesive: Silicone  
Color: White  
Market: Plasma / Flame Spray MRO, Electrical Maintenance  
Substrate-Carrier: Glasscloth



## SPECIALTY TAPE

### BT-1814 | Foil Glass Cloth Tape 7 mil

**Applications:** Abrasion Resisting, Cable Wrapping, Damping, Edge Tear & Split Resisting, Engine Component Wire Harness Bundling, Heat Reflecting, High Temperature Masking, High Temperature Resisting, High-Low Temperature Resisting, Insulating, Plasma Spray Masking, Sound Damping, Surface Protecting, Tape Slippage Preventing, Temperature, Aging and UV Resisting, Thermal Spray / HVOF Masking, Vibration Damping, Wire Harness Wrapping

**Tags:** High Temperature, Specialty - Thermal Spray

**Description:** BT-1814 is manufactured from aluminum foil laminated to fiberglass cloth with high-temperature silicone adhesive on one side.

**Adhesive:** Silicone  
**Color:** Silver  
**Market:** Automotive Wire Harness, MRO  
**Substrate:** Glass/Foil

### BT-18946 | Double Coated Glass Cloth Tape

**Applications:** Abrasion Resisting, Belting, Circuit Board Component Holding, Edge Tear & Split Resisting, High Temperature Masking, High Temperature Resisting, High Temperature Splicing, Inner Wrapping for Coils and Transformers, Plasma Spray Masking, Thermal Spray / HVOF Masking

**Tags:** Double Coated, Exceptional Flex Strength, Exceptionally Stable at High Temperatures, High Temperature Adhesive, Non-Corrosive, Specialty - Thermal Spray

**Description:** BT-18946 is a heat-resistant fiberglass cloth backing coated with high temperature silicone adhesive on both sides.

**Adhesive:** Silicone  
**Color:** White  
**Liner:** Paper or Dimpled PVC  
**Liner Color:** Natural (Paper) or Yellow (Dimpled PVC)  
**Market:** Electrical, MRO, Plasma Spray  
**Substrate-Carrier:** Glasscloth

### BT-1864 | Plasma Spray Tape

**Applications:** Abrasion Resisting, Grit Blast Masking, High Temperature Masking, Impact Resisting, Mediablast Masking, Plasma Spray Masking, Puncture Resisting, Sandblast Masking, Shot Peen Masking, Surface Protecting, Temperature, Aging and UV Resisting, Temporary Surface Protecting, Thermal Insulating, Thermal Spray / HVOF Masking

**Tags:** Ease of Use, Excellent Strength & Flexibility, Minimizes Wrinkling, Specialty - Thermal Spray

**Description:** BT-1864 is manufactured from silicone rubber/fiberglass cloth backing, coated with a high-temperature adhesive.

**Adhesive:** Silicone  
**Color:** Natural  
**Market:** MRO  
**Process:** Grit Blasting, Plasma Spray, Thermal Spray / HVOF  
**Substrate:** Glass-Silicone

### BT-1904 | Metalized Polyester Tape 1 mil

**Applications:** Blocking, Color Coding, Detecting, Identifying, Labeling, Light Blocking, Marking, Micro Film Splicing, Part Marking, Reflecting, Splice Detecting, Wire Identifying

**Tags:** Excellent Chemical and Thermal Stability, Specialty - Decorative

**Description:** BT-1904 is a 1.0 mil Metalized Polyester Film with brilliant, vibrant mirror-like finish; coated with an aggressive long-lasting acrylic adhesive system. Tapes have excellent chemical and thermal stability. Silver can be qualified to meet Federal Specification #L-T-100B, Type II.

**Adhesive:** Acrylic  
**Color:** Gold, Silver, Black  
**Market:** Reflective shielding, Industrial & graphic arts, Decorative trim, Automotive trim, Nameplates, Electric appliances, Advertising displays  
**Meets-specifications:** Silver can be qualified to meet Federal Specification #L-T-100B, Type II.  
**Substrate-Carrier:** Metalized Polyester

### BT-97111 | PTFE Coated Fiberglass Tape 3 mil

**Applications:** Abrasion Resisting, Bag Sealing, Belting, Chemical Resisting, Composite Mold Release, Heat Sealing, High Temperature Masking, Oil Resisting, Packaging, Puncture Resisting, Releasing, Tear Resisting, Thermal Spray / HVOF Masking

**Tags:** Dimensionally Stable, Excellent Tensile Strength, Excellent Wear Life, Specialty - Heat Sealing

**Description:** BT-97111 is a 3 mil PTFE coated, woven fiberglass tape with a high temperature silicone adhesive. This tape is available with or without liner.

**Adhesive:** Silicone  
**Color:** Natural  
**Liner:** Dimpled PVC  
**Liner Color:** Yellow  
**Market:** Food processing, packaging, Aerospace, automotive, Screen printing, MRO  
**Substrate-Carrier:** PTFE coated, woven fiberglass ("E" type)

### BT-97112 | PTFE Coated Fiberglass Tape 5 mil

**Applications:** Abrasion Resisting, Belting, Chemical Resisting, Composite Mold Release, Heat Sealing, High Temperature Masking, Oil Resisting, Packaging, Puncture Resisting, Releasing, Tear Resisting, Thermal Spray / HVOF Masking

**Tags:** Dimensionally Stable, Excellent Tensile Strength, Excellent Wear Life, Specialty - Heat Sealing

**Description:** BT-97112 is a 5 mil PTFE coated, woven fiberglass tape with a high temperature silicone adhesive. This tape is available with or without liner.

**Adhesive:** Silicone  
**Color:** Natural  
**Liner:** Dimpled PVC  
**Liner Color:** Yellow  
**Market:** Food processing, packaging, Aerospace, automotive, Screen printing, MRO  
**Substrate-Carrier:** PTFE coated, woven fiberglass ("E" type)

## VINYL TAPE

### BT-48 | PVC Electrical Insulating Tape

**Applications:** Cable Wrapping, Color Coding, Electrical Insulating, Engine Component Wire Harness Bundling, Identifying, Insulating, Joining, Labeling, Marking, Part Marking, Phase Insulating, Splicing, Wire Harness Wrapping, Wire Identifying

**Tags:** Non-corrosive adhesive, Vinyl Tape

Description: BT-48 is a soft PVC film coated tape, suitably plasticized and stabilized. It is coated one-side with a rubber-based, pressure sensitive

adhesive. BT-48 is a matte finish, low lead electrical insulating tape.

Adhesive: Rubber-Based  
Color: Black, Blue, Brown, Gray, Green, Orange, Purple, Red, White, Yellow  
Substrate-Carrier: Soft PVC Film

### BT-786 | Pipe Wrap Tape

**Applications:** Abrasion Resisting, Acid and Alkali Resisting, Color Coding, Identifying, Oil Resisting, Pipe Wrapping

**Tags:** Flexible, Matte finish, Vinyl Tape - Pipe Wrap Tape

Description: BT-786 is a soft PVC film coated tape, suitably elasticized and stabilized. It is coated with rubber-based pressure sensitive adhesive on one side. BT-786 is a UL listed, matte finish industry tape.

Adhesive: Rubber-Based  
Color: Black  
Compliance: UL Listed  
Substrate-Carrier: Soft PVC Film

### BT-795 | Safety Stripe – Hazard Vinyl Tape

**Applications:** Abrasion Resisting, Acid and Alkali Resisting, Aisle Marking, Bundling, Color Coding, Floor Marking, Identifying, Oil Resisting, Part Marking, Place Marking, Safety Marking

**Tags:** Flexible, Vinyl Tape

Description: BT-795 is a soft PVC film coated tape, suitably elasticized and stabilized. Coated with a rubber-based, non-corrosive pressure sensitive adhesive on one side. Shiny and colored striped

tape (standard colors): yellow/black, white/red and white/green.

Adhesive: Rubber-Based  
Color: Black/Yellow  
Substrate-Carrier: Soft PVC Film

### BT-3089 | Multi-Purpose Vinyl Tape

**Applications:** Abrasion Resisting, Acid and Alkali Resisting, Aisle Marking, Bundling, Color Coding, Engine Component Wire Harness Bundling, Floor Marking, Identifying, Labeling, Oil Resisting, Part Marking, Pipe Wrapping, Place Marking, Safety Marking, Tool Wrapping, Vinyl Seat Repairing, Window and Door Masking, Wire Identifying

**Tags:** Flexible, No Known Hazards, Suitably Elasticized and Stabilized, Vinyl Tape

Description: BT-3089 is a soft PVC film tape, suitably elasticized and stabilized. It is coated with rubber-based pressure sensitive adhesives on one side and has a matte finish.

Adhesive: Rubber-Based  
Color: Black, Medium Blue, Light Blue, Dark Blue, Brown, Clear, Kelly Green, Emerald Green, Light Green, Gray, Orange, Purple, Red, White, Yellow  
Market: Clean Room, Industrial  
Substrate-Carrier: Soft PVC Film



## Our Locations

### ARIZONA

2706 E. Chambers St.  
Phoenix, AZ 85040  
**(602) 305-8273**

### COLORADO

875 W. Ellsworth Ave.  
Denver, CO 80223  
**(303) 534-7387**

### TEXAS

3510 Dalworth St.  
Arlington, TX 76011  
**(817) 640-9998**

### NORTHERN CALIFORNIA

2020 N. Loop Rd.  
Alameda, CA 94502  
**(510) 263-3770**

### GEORGIA

300 Piedmont Ct. Ste. B  
Atlanta, GA 30340  
**(470) 361-4304**

### UTAH

5525 W. 1730 S #205  
Salt Lake City, UT 84104  
**(801) 978-3330**

### SOUTHERN CALIFORNIA

3809 Ocean Ranch Blvd #113  
Oceanside, CA 92056  
**(858) 530-0391**

### ILLINOIS

460 S. Irmen Dr.  
Addison, IL 60101  
**(877) 534-7387**

### WASHINGTON

6970 S. 220th St.  
Kent, WA 98032  
**(253) 872-4634**

### NEVADA

6265 Valley View Blvd, Suite L  
Las Vegas, NV 89118  
**(702) 248-1200**



# Killer Red<sup>®</sup>

## Double-Sided Tape

BT-3854

World's Greatest Double-Sided Tape!



**Killer Red<sup>®</sup>**  
DOUBLE-SIDED TAPE

### ATTACHING BONDING LAMINATING MOUNTING

- Clear Tape with Red Liner
- Easy to Apply
- High Bond to Critical Substrates
- High-Temperature
- Permanent
- Plasticizer Resistant
- High Adhesion, even to LSE Surfaces
- UV Resistant
- Water Resistant
- Weather Resistant

Killer Red<sup>®</sup> is *the* transparent, double-sided tape with a superior PET backing and a proprietary, high-adhesion acrylic adhesive.

Killer Red<sup>®</sup> is exceptionally versatile and effective in a wide range of applications:

#### APPLIANCES

Attaching & Bonding Panels & Nameplates

#### ARTS & CRAFTS

#### AUTOMOTIVE

Bonding EPDM Rubber

#### SIGNAGE & DISPLAYS

POP & Outdoor Mounting of Metal, Plastic, Vinyl, Wood

#### FURNITURE

Mounting Decorative Profiles & Moldings

#### ELECTRONICS

Mounting Battery Packs, Touchscreens, Lenses



#### Bron Tapes

875 W. Ellsworth Ave  
Denver, CO 80223

**1-888-877-2766** (BRON)

service@brontapes.com  
brontapes.com

