

[USPTO PATENT FULL-TEXT AND IMAGE DATABASE](#)[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Next List](#)[Bottom](#)[View Cart](#)

Searching US Patent Collection...

Results of Search in US Patent Collection db for:

AN/"Aeris Communications, Inc": 65 patents.

Hits **1** through **50** out of **65**

Final 15 Hits

Jump To

Refine Search

AN/"Aeris Communications, Inc"

PAT. NO.**Title**

- 1 [11,333,510](#)  [Learning locations of interest using IoT devices](#)
- 2 [11,301,799](#)  [Tracking physical delivery of products through a fulfillment system](#)
- 3 [11,216,860](#)  [Method for smart rate plans](#)
- 4 [11,140,274](#)  [Pair-the-plan system for devices and method of use](#)
- 5 [11,132,636](#)  [System and method for monitoring and sharing location and activity of devices](#)
- 6 [11,125,564](#)  [System and method for determining compliant routes for repetitive trips](#)
- 7 [11,115,542](#)  [Pair-the-plan system for devices and method of use](#)
- 8 [11,115,378](#)  [Traffic flow control using domain name](#)
- 9 [11,050,774](#)  [Methodology for intelligent pattern detection and anomaly detection in machine to machine communication network](#)
- 10 [11,039,017](#)  [Adaptive M2M billing](#)
- 11 [10,959,092](#)  [Method and system for pairing wireless mobile device with IoT device](#)
- 12 [10,943,005](#)  [Secure authentication of devices for internet of things](#)

- 13 [10,929,082](#) [T](#) [Communication between display and device utilizing a communication and display protocol](#)
- 14 [10,922,904](#) [T](#) [Method and apparatus for remotely communicating vehicle information to the cloud](#)
- 15 [10,917,298](#) [T](#) [Global device management architecture for IoT devices with regional autonomy](#)
- 16 [10,862,950](#) [T](#) [Radio module as web-controllable remote sensor](#)
- 17 [10,834,557](#) [T](#) [Layered machine to machine \(M2M\) service methodology using class-based access point names \(APNs\) for the internet of things](#)
- 18 [10,832,297](#) [T](#) [Real-time priced \(RTP\) cellular service marketplace](#)
- 19 [10,750,312](#) [T](#) [System and method for monitoring devices relative to a user defined geographic area](#)
- 20 [10,740,989](#) [T](#) [Automatic connected vehicle subsequent owner enrollment process](#)
- 21 [10,740,685](#) [T](#) [Method and system for optimizing execution of user commands in relation to power management](#)
- 22 [10,735,904](#) [T](#) [System and method for monitoring location and activity of devices](#)
- 23 [10,715,679](#) [T](#) [System and method for detecting instances of missing data records in usage data records generated for wireless services](#)
- 24 [10,648,823](#) [T](#) [Learning common routes and automatic geofencing in fleet management](#)
- 25 [10,586,207](#) [T](#) [Automatic connected vehicle demonstration process](#)
- 26 [10,531,252](#) [T](#) [Context oriented billing](#)
- 27 [10,484,450](#) [T](#) [Radio module as web-controllable remote sensor](#)
- 28 [10,437,575](#) [T](#) [Aercloud application express and aercloud application express launcher](#)
- 29 [10,389,887](#) [T](#) [Application specific M2M billing reconciliation](#)
- 30 [10,375,539](#) [T](#) [Methods and apparatus for providing application-specific messaging over a global system for mobile wireless communication system](#)
- 31 [10,373,403](#) [T](#) [Automatic connected vehicle subsequent owner enrollment process](#)
- 32 [10,332,124](#) [T](#) [Automatic connected vehicle subsequent owner enrollment process](#)
- 33 [10,237,290](#) [T](#) [Methodology for intelligent pattern detection and anomaly detection in machine to machine communication network](#)
- 34 [10,231,084](#) [T](#) [System and method for monitoring devices relative to a learned geographic area](#)
- 35 [10,200,866](#) [T](#) [Method and system for detecting and minimizing harmful network device and application behavior on cellular networks](#)
- 36 [10,157,030](#) [T](#) [Communication between display and device utilizing a communication and display protocol](#)
- 37 [10,109,002](#) [T](#) [Method for smart rate plans](#)
- 38 [10,079,942](#) [T](#) [Methods and apparatus for implementing telemetry applications on a subscriber identity module](#)
- 39 [10,064,032](#) [T](#) [Methods and apparatus for providing application-specific messaging over a global system for mobile wireless communication system](#)
- 40 [10,055,901](#) [T](#) [Method and apparatus for remotely communicating vehicle information to the cloud](#)
- 41 [9,978,018](#) [T](#) [Method and system for optimizing execution of user commands in relation to power management](#)
- 42 [9,867,022](#) [T](#) [Emergency services dual tone multi frequency \(DTMF\) function](#)
- 43 [9,866,616](#) [T](#) [Radio module as web-controllable remote sensor](#)
- 44 [9,787,853](#) [T](#) [M2M billing reconciliation for the internet of things](#)

- 45 [9,774,994](#)  [System and method for monitoring devices relative to a user defined geographic area](#)
- 46 [9,681,003](#)  [Method and system for managing device status and activity history using big data storage](#)
- 47 [9,680,727](#)  [Utilizing devices nearby](#)
- 48 [9,667,806](#)  [Pair-the-plan system for devices and method of use](#)
- 49 [9,275,503](#)  [Method and apparatus for remotely communicating vehicle information to the cloud](#)
- 50 [9,215,549](#)  [Method for delivering machine to machine \(M2M\) application control data over control plane in LTE/EPS utilizing standard bearer management procedures](#)
-

